



2 Liberty Sq., 6<sup>th</sup> Floor  
Boston, MA 02109

T 617.350.3444  
[TRCcompanies.com](http://TRCcompanies.com)

## **Asbestos Abatement Air Sampling Report**

L Street Station Project

Boston, Massachusetts

Prepared for HRP 776 Summer Street, LLC  
May 2023

**ASBESTOS ABATEMENT AIR SAMPLING REPORT**  
**L STREET STATION PROJECT**  
**April 2023**

**1.0 INTRODUCTION**

TRC Environmental, Inc. (TRC) has prepared this Air Sampling Report on behalf of HRP 776 Summer Street, LLC (the Client) for the deconstruction phase of the L Street Station project at 776 Summer Street in Boston, Massachusetts (the Site).

The air sampling is as described and in accordance with the requirements of the Non-Traditional Work Plan (NTWP) in place for the project, as approved by MassDEP (NTWP Approval NNT-220007). Pursuant to the NTWP, on a daily basis, TRC provides air sampling during asbestos abatement around the perimeter of the asbestos removal work areas, and as required for final air clearance at the completion of asbestos removal in contained work areas. Sample results are emailed to MassDEP at the end of the shift.

The air samples are analyzed by TRC's Asbestos Project Monitor after collection, typically twice per shift, in accordance with the Phase Contrast Microscopy (PCM) method. The results for each sample are then recorded in fibers per cubic centimeter of air (f/cc) on the air sampling data sheet. These air sample results and data sheets are attached to this report.



This report provides the air sampling results collected at the Site from the beginning of the abatement monitoring on May 1, through 31, 2023. Pursuant to the NTWP approved by DEP, the air sampling action level is < 0.010 f/cc. All air sample collected at the containment perimeter barriers, by TRC in connection with this work have been less than 0.010 f/cc throughout this time period.

## **2.0 DESCRIPTION OF SITE CONDITIONS**

The Site previously operated as an electrical power plant. With the exception of one building, referred to as the Administration Office Building, the Site is vacant.

The Site is located in an urban area of South Boston and is bounded on all sides by roads.

## **3.0 AIR SAMPLING ACTION LEVELS**

The action level required for this project for PCM air samples during abatement, as established in the NTWP, is less than 0.010 f/cc. If this level is reached or exceeded, asbestos abatement work is stopped, the MassDEP notified, and appropriate corrective measures taken. The level of 0.010 f/cc is also used for air clearance following abatement, to "clear" space for use prior to disassembling containment. On occasion, typically for "clearing" a large work area where PCM air sampling may be impractical, the Transmission Electron Microscopy (TEM) method will be used, which has a clearance level of an average of less than 70 structures per square millimeter (s/mm). TEM results, if any, associated with clearing work areas will be included in this report.

## **4.0 AIR SAMPLING**

Pursuant to the approved NTWP, all area air samples are collected using the same basic techniques. The air sampling pumps are calibrated using a primary or secondary standard. The sample cassette is set between 4 to 5 feet above the floor/ground and angled downward at a 45-degree angle. Samples are collected "open faced," meaning that the cap at the inlet end of the extension has been removed so the entire surface of the



filter is exposed to the air. Samples are typically collected over a 2-to-3-hour period. Pumps are post-calibrated and the before and after flow rates are averaged. Chain-Of-Custody forms are completed, and the samples are analyzed.

Air samples are usually grouped together for each work area, as per the NTWP. Some results are recorded as <LOD, meaning that the result for that sample is below the limit of detection for the method (typically less than 0.002 f/cc, which is well below the action level).

## **5.0 CORRECTIVE MEASURES**

No corrective measures were required May 1, through May 31, 2023, because all air sample results were below the action level.

## **ATTACHMENTS**

### **Air sample results**


<b>Project Name</b>	776 Summer Street (Regulated Area 4)(Power Plant) 05/05/23 Week Ending	<b>Sample Date</b>	05/01/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 4 Courtyard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A4 South area of regulated area	08:00	10:36	156	8	8	8	1248	4	100	0.002	0.002	N/A
Background	004	A4 center-south area at fence	11:36	14:08	152	8	8	8	1216	6	100	0.002	0.002	N/A
Background	005	A4 center-north area at fence	08:02	10:38	156	8	8	8	1248	3.5	100	0.002	<LOD	N/A
Background	006	A4 north area at generator	08:03	10:39	156	8	8	8	1248	5	100	0.002	0.002	N/A
Background	007	A4 South area of regulated area	11:30	14:09	159	8	8	8	1272	6.5	100	0.002	0.003	N/A
Background	008	A4 center-south area at fence	11:31	14:10	159	8	8	8	1272	7	100	0.002	0.003	N/A
Background	009	A4 center-north area at fence	11:32	14:11	159	8	8	8	1272	5	100	0.002	0.002	N/A
Background	010	A4 north area at generator	11:33	14:12	159	8	8	8	1272	6	100	0.002	0.002	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/01/2023
<b>Analyst Signature</b>			


<b>Project Name</b>	776 Summer Street (Regulated Area 4)(Power Plant) 05/05/23 Week Ending	<b>Sample Date</b>	05/02/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 4 Courtyard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A4 South area of regulated area	08:17	10:55	158	8	8	8	1264	6	100	0.002	0.002	N/A
Background	004	A4 center-south area at fence	08:18	10:56	158	8	8	8	1264	5.5	100	0.002	0.002	N/A
Background	005	A4 center-north area at fence	08:19	10:57	158	8	8	8	1264	7	100	0.002	0.003	N/A
Background	006	A4 north area at generator	08:20	10:58	158	8	8	8	1264	4	100	0.002	0.002	N/A
Background	007	A4 South area of regulated area	11:40	14:12	152	8	8	8	1216	3.5	100	0.002	<LOD	N/A
Background	008	A4 center-south area at fence	11:41	14:13	152	8	8	8	1216	4	100	0.002	0.002	N/A
Background	009	A4 center-north area at fence	11:42	14:14	152	8	8	8	1216	3.5	100	0.002	<LOD	N/A
Background	010	A4 north area at generator	11:43	14:15	152	8	8	8	1216	2.5	100	0.002	<LOD	N/A

# ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/02/2023
<b>Analyst Signature</b>			




<b>Project Name</b>	776 Summer Street (Regulated Area 4)(Power Plant) 05/05/23 Week Ending	<b>Sample Date</b>	05/03/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 4 Courtyard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A4 South area of regulated area	08:09	10:45	156	8	8	8	1248	7.5	100	0.002	0.003	N/A
Background	004	A4 center-south area at fence	08:10	10:46	156	8	8	8	1248	8.5	100	0.002	0.003	N/A
Background	005	A4 center-north area at fence	08:11	10:47	156	8	8	8	1248	5	100	0.002	0.002	N/A
Background	006	A4 north area at generator	08:12	10:48	156	8	8	8	1248	7	100	0.002	0.003	N/A
Background	007	A4 South area of regulated area	11:31	14:07	156	8	8	8	1248	4	100	0.002	0.002	N/A
Background	008	A4 center-south area at fence	11:32	14:08	156	8	8	8	1248	4.5	100	0.002	0.002	N/A
Background	009	A4 center-north area at fence	11:33	14:09	156	8	8	8	1248	5.5	100	0.002	0.002	N/A
Background	010	A4 north area at generator	11:34	14:10	156	8	8	8	1248	5.5	100	0.002	0.002	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/03/2023
<b>Analyst Signature</b>			


<b>Project Name</b>	776 Summer Street (Regulated Area 4)(Power Plant) 05/05/23 Week Ending	<b>Sample Date</b>	05/04/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 4 Courtyard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A4 South area of regulated area	08:17	11:06	169	8	8	8	1352	8.5	100	0.002	0.003	N/A
Background	004	A4 center-south area at fence	08:18	11:07	169	8	8	8	1352	7.5	100	0.002	0.003	N/A
Background	005	A4 center-north area at fence	08:19	11:08	169	8	8	8	1352	9	100	0.002	0.003	N/A
Background	006	A4 north area at generator	08:20	11:09	169	8	8	8	1352	5.5	100	0.002	0.002	N/A
Background	007	A4 South area of regulated area	11:06	13:55	169	8	8	8	1352	8	100	0.002	0.003	N/A
Background	008	A4 center-south area at fence	11:07	13:56	169	8	8	8	1352	6	100	0.002	0.002	N/A
Background	009	A4 center-north area at fence	11:08	13:57	169	8	8	8	1352	6.5	100	0.002	0.002	N/A
Background	010	A4 north area at generator	11:09	13:58	169	8	8	8	1352	7.5	100	0.002	0.003	N/A

# ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/04/2023
<b>Analyst Signature</b>			


<b>Project Name</b>	776 Summer Street (Regulated Area 4)(Power Plant) 05/05/23 Week Ending	<b>Sample Date</b>	05/05/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 4 Courtyard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A4 South area of regulated area	07:30	10:15	165	8	8	8	1320	18	100	0.002	0.007	N/A
Background	004	A4 center-south area at fence	07:31	10:16	165	8	8	8	1320	12	100	0.002	0.004	N/A
Background	005	A4 center-north area at fence	07:32	10:17	165	8	8	8	1320	13.5	100	0.002	0.005	N/A
Background	006	A4 north area at generator	07:33	10:18	165	8	8	8	1320	9.5	100	0.002	0.004	N/A
Background	007	A4 South area of regulated area	10:15	12:55	160	8	8	8	1280	7.5	100	0.002	0.003	N/A
Background	008	A4 center-south area at fence	10:16	12:56	160	8	8	8	1280	10	100	0.002	0.004	N/A
Background	009	A4 center-north area at fence	10:17	12:57	160	8	8	8	1280	8	100	0.002	0.003	N/A
Background	010	A4 north area at generator	10:18	12:58	160	8	8	8	1280	7.5	100	0.002	0.003	N/A

# ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

## Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/05/2023
<b>Analyst Signature</b>			


<b>Project Name</b>	776 Summer Street (Regulated Area 1)(Power Plant) 05/05/23 Week Ending	<b>Sample Date</b>	05/01/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	08:05	10:42	157	8	8	8	1256	3.5	100	0.002	<LOD	N/A
Background	004	A1 Center area of regulated area at summer Street sidewalk	08:06	10:43	157	8	8	8	1256	5	100	0.002	0.002	N/A
Background	005	A1 north area, end of regulated area at summer Street sidewalk	08:07	10:44	157	8	8	8	1256	4	100	0.002	0.002	N/A
Background	006	A1 adjacent gate B at summer Street sidewalk	08:07	10:45	158	8	8	8	1264	6.5	100	0.002	0.003	N/A
Background	007	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	11:36	14:15	159	8	8	8	1272	7	100	0.002	0.003	N/A
Background	008	A1 Center area of regulated area at	11:37	14:16	159	8	8	8	1272	5	100	0.002	0.002	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
		summer Street sidewalk												
Background	009	A1 north area, end of regulated area at summer Street sidewalk	11:38	14:17	159	8	8	8	1272	5.5	100	0.002	0.002	N/A
Background	010	A1 adjacent gate B at summer Street sidewalk	11:39	14:18	159	8	8	8	1272	6.5	100	0.002	0.003	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/01/2023
<b>Analyst Signature</b>			




<b>Project Name</b>	776 Summer Street (Regulated Area 1)(Power Plant) 05/05/23 Week Ending	<b>Sample Date</b>	05/02/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	08:22	10:59	157	8	8	8	1256	6	100	0.002	0.002	N/A
Background	004	A1 Center area of regulated area at summer Street sidewalk	08:23	11:00	157	8	8	8	1256	6.5	100	0.002	0.003	N/A
Background	005	A1 north area, end of regulated area at summer Street sidewalk	08:24	11:01	157	8	8	8	1256	6	100	0.002	0.002	N/A
Background	006	A1 adjacent gate B at summer Street sidewalk	08:25	11:02	157	8	8	8	1256	4.5	100	0.002	0.002	N/A
Background	007	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	11:45	14:17	152	8	8	8	1216	4.5	100	0.002	0.002	N/A
Background	008	A1 Center area of regulated area at	11:46	14:18	152	8	8	8	1216	3	100	0.002	<LOD	N/A

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
		summer Street sidewalk												
Background	009	A1 north area, end of regulated area at summer Street sidewalk	11:47	14:19	152	8	8	8	1216	4	100	0.002	0.002	N/A
Background	010	A1 adjacent gate B at summer Street sidewalk	11:48	14:20	152	8	8	8	1216	3	100	0.002	<LOD	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	0	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information


<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/02/2023
<b>Analyst Signature</b>			

<b>Project Name</b>	776 Summer Street (Regulated Area 1)(Power Plant) 05/05/23 Week Ending	<b>Sample Date</b>	05/03/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	08:14	10:50	156	8	8	8	1248	7.5	100	0.002	0.003	N/A
Background	004	A1 Center area of regulated area at summer Street sidewalk	08:15	10:51	156	8	8	8	1248	5.5	100	0.002	0.002	N/A
Background	005	A1 north area, end of regulated area at summer Street sidewalk	08:16	10:53	157	8	8	8	1256	8	100	0.002	0.003	N/A
Background	006	A1 adjacent gate B at summer Street sidewalk	08:17	10:53	156	8	8	8	1248	5.5	100	0.002	0.002	N/A
Background	007	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	11:36	14:12	156	8	8	8	1248	4	100	0.002	0.002	N/A
Background	008	A1 Center area of regulated area at	11:37	14:13	156	8	8	8	1248	5	100	0.002	0.002	N/A

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
		summer Street sidewalk												
Background	009	A1 north area, end of regulated area at summer Street sidewalk	11:38	14:14	156	8	8	8	1248	5	100	0.002	0.002	N/A
Background	010	A1 adjacent gate B at summer Street sidewalk	11:39	14:15	156	8	8	8	1248	5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information


<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/03/2023
<b>Analyst Signature</b>			

<b>Project Name</b>	776 Summer Street (Regulated Area 1)(Power Plant) 05/05/23 Week Ending	<b>Sample Date</b>	05/04/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	08:22	11:11	169	8	8	8	1352	5.5	100	0.002	0.002	N/A
Background	004	A1 Center area of regulated area at summer Street sidewalk	08:23	11:12	169	8	8	8	1352	6.5	100	0.002	0.002	N/A
Background	005	A1 north area, end of regulated area at summer Street sidewalk	08:24	11:13	169	8	8	8	1352	4.5	100	0.002	0.002	N/A
Background	006	A1 adjacent gate B at summer Street sidewalk	08:25	11:14	169	8	8	8	1352	5	100	0.002	0.002	N/A
Background	007	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	11:11	14:00	169	8	8	8	1352	6.5	100	0.002	0.002	N/A
Background	008	A1 Center area of regulated area at	11:12	14:01	169	8	8	8	1352	5	100	0.002	0.002	N/A

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
		summer Street sidewalk												
Background	009	A1 north area, end of regulated area at summer Street sidewalk	11:13	14:02	169	8	8	8	1352	6.5	100	0.002	0.002	N/A
Background	010	A1 adjacent gate B at summer Street sidewalk	11:14	14:03	169	8	8	8	1352	5.5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information


<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/04/2023
<b>Analyst Signature</b>			

<b>Project Name</b>	776 Summer Street (Regulated Area 1)(Power Plant) 05/05/23 Week Ending	<b>Sample Date</b>	05/05/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	07:35	10:20	165	8	8	8	1320	7.5	100	0.002	0.003	N/A
Background	004	A1 Center area of regulated area at summer Street sidewalk	07:36	10:21	165	8	8	8	1320	5.5	108	0.002	0.002	N/A
Background	005	A1 north area, end of regulated area at summer Street sidewalk	07:37	10:22	165	8	8	8	1320	7	100	0.002	0.003	N/A
Background	006	A1 adjacent gate B at summer Street sidewalk	07:38	10:23	165	8	8	8	1320	4.5	100	0.002	0.002	N/A
Background	007	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	10:20	13:00	160	8	8	8	1280	7	100	0.002	0.003	N/A
Background	008	A1 Center area of regulated area at	10:21	13:01	160	8	8	8	1280	5.5	100	0.002	0.002	N/A

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
		summer Street sidewalk												
Background	009	A1 north area, end of regulated area at summer Street sidewalk	10:22	13:02	160	8	8	8	1280	5	100	0.002	0.002	N/A
Background	010	A1 adjacent gate B at summer Street sidewalk	10:23	13:03	160	8	8	8	1280	4.5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/05/2023
<b>Analyst Signature</b>			




# ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (1898 West) (Power Plant)	<b>Sample Date</b>	05/01/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 1A	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	North end	08:05	11:00	175	8.2	8.2	8.2	1435	4	100	0.002	<LOD	N/A
Area	004	Center	08:06	11:01	175	8.2	8.2	8.2	1435	2.5	100	0.002	<LOD	N/A
Area	005	South end	08:07	11:03	176	8.2	8.2	8.2	1443.2	2	100	0.002	<LOD	N/A
Area	006	North end	11:00	14:01	181	8.2	8.2	8.2	1484.2	5	100	0.002	0.002	N/A
Area	007	Center	11:01	14:02	181	8.2	8.2	8.2	1484.2	3.5	100	0.002	<LOD	N/A
Area	008	South end	11:02	14:03	181	8.2	8.2	8.2	1484.2	2.5	100	0.002	<LOD	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A


### Analysis Information

<b>Analyst</b>	Dante Sacchitella		<b>Analysis Date</b>	05/01/2023
<b>Analyst Signature</b>				

<b>Project Name</b>	776 Summer Street (1898 West) (Power Plant)	<b>Sample Date</b>	05/02/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 1A	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	North end	08:09	11:00	171	8.2	8.2	8.2	1402.2	4.5	100	0.002	0.002	N/A
Area	004	Center	08:10	11:01	171	8.2	8.2	8.2	1402.2	3	100	0.002	<LOD	N/A
Area	005	South end	08:11	11:02	171	8.2	8.2	8.2	1402.2	2.5	100	0.002	<LOD	N/A
Area	006	North	11:00	13:57	177	8.2	8.2	8.2	1451.4	3.5	100	0.002	<LOD	N/A
Area	007	Center	11:01	13:58	177	8.2	8.2	8.2	1451.4	4	100	0.002	<LOD	N/A
Area	008	South end	11:02	13:59	177	8.2	8.2	8.2	1451.4	3	100	0.002	<LOD	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A


**Analysis Information**

<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/02/2023
<b>Analyst Signature</b>			

<b>Project Name</b>	776 Summer Street (1898 West) (Power Plant)	<b>Sample Date</b>	05/03/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 1A	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	North end	08:10	11:01	171	8.2	8.2	8.2	1402.2	7	100	0.002	0.002	N/A
Area	004	Center	08:11	11:02	171	8.2	8.2	8.2	1402.2	3	100	0.002	<LOD	N/A
Area	005	South end	08:12	11:03	171	8.2	8.2	8.2	1402.2	4	100	0.002	<LOD	N/A
Area	006	North end	11:01	13:58	177	8.2	8.2	8.2	1451.4	5.5	100	0.002	0.002	N/A
Area	007	Center	11:02	13:59	177	8.2	8.2	8.2	1451.4	2.5	100	0.002	<LOD	N/A
Area	008	South end	11:03	14:00	177	8.2	8.2	8.2	1451.4	3	100	0.002	<LOD	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A


### Analysis Information

<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/03/2023
<b>Analyst Signature</b>			

<b>Project Name</b>	776 Summer Street (1898 West) (Power Plant)	<b>Sample Date</b>	05/04/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 1A	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	North end	08:08	10:59	171	8.2	8.2	8.2	1402.2	6	100	0.002	0.002	N/A
Area	004	Center	08:09	11:00	171	8.2	8.2	8.2	1402.2	3.5	100	0.002	<LOD	N/A
Area	005	South end	08:10	11:01	171	8.2	8.2	8.2	1402.2	5.5	100	0.002	0.002	N/A
Area	006	North end	10:59	13:59	180	8.2	8.2	8.2	1476	5	100	0.002	0.002	N/A
Area	007	Center	11:00	14:00	180	8.2	8.2	8.2	1476	4.5	100	0.002	<LOD	N/A
Area	008	South end	11:01	14:01	180	8.2	8.2	8.2	1476	3	100	0.002	<LOD	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information


<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/04/2023
<b>Analyst Signature</b>			

# ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (1898 West) (Power Plant)	<b>Sample Date</b>	05/05/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 1A	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	North end	07:11	10:01	170	8.2	8.2	8.2	1394	5.5	100	0.002	0.002	N/A
Area	004	Center	07:12	10:02	170	8.2	8.2	8.2	1394	3.5	100	0.002	<LOD	N/A
Area	005	South end	07:13	10:03	170	8.2	8.2	8.2	1394	2.5	100	0.002	<LOD	N/A
Area	006	North end	10:01	12:50	169	8.2	8.2	8.2	1385.8	6.5	100	0.002	0.002	N/A
Area	007	Center	10:02	12:51	169	8.2	8.2	8.2	1385.8	4	100	0.002	<LOD	N/A
Area	008	South end	10:03	12:52	169	8.2	8.2	8.2	1385.8	3	100	0.002	<LOD	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A


### Analysis Information

<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/05/2023
<b>Analyst Signature</b>			

<b>Project Name</b>	776 Summer Street (Regulated Area 3)(Power Plant)	<b>Sample Date</b>	05/01/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A3 decon	08:14	11:12	178	8.2	8.2	8.2	1459.6	8.5	100	0.002	0.003	N/A
Background	004	A3 north	08:15	11:13	178	8.2	8.2	8.2	1459.6	6	100	0.002	0.002	N/A
Background	005	A3 center	08:17	11:15	178	8.2	8.2	8.2	1459.6	5.5	100	0.002	0.002	N/A
Background	006	A3 south	08:18	11:16	178	8.2	8.2	8.2	1459.6	7.5	100	0.002	0.003	N/A
Background	007	A3 decon	11:16	14:10	174	8.2	8.2	8.2	1426.8	10	100	0.002	0.003	N/A
Background	008	A3 north	11:13	14:11	178	8.2	8.2	8.2	1459.6	7	100	0.002	0.002	N/A
Background	009	A3 center	11:15	14:13	178	8.2	8.2	8.2	1459.6	5.5	100	0.002	0.002	N/A
Background	010	A3 south	11:16	14:14	178	8.2	8.2	8.2	1459.6	4	100	0.002	<LOD	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

**Analysis Information**


<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/01/2023
<b>Analyst Signature</b>			

# ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (Regulated Area 3)(Power Plant)	<b>Sample Date</b>	05/03/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A3 decon	08:28	11:30	182	8.2	8.2	8.2	1492.4	7	100	0.002	0.002	N/A
Background	004	A3 north	08:29	11:31	182	8.2	8.2	8.2	1492.4	5.5	100	0.002	0.002	N/A
Background	005	A3 center	08:31	11:33	182	8.2	8.2	8.2	1492.4	4	100	0.002	<LOD	N/A
Background	006	A3 south	08:32	11:34	182	8.2	8.2	8.2	1492.4	5	100	0.002	0.002	N/A
Background	007	A3 decon	11:30	14:28	178	8.2	8.2	8.2	1459.6	5	100	0.002	0.002	N/A
Background	008	A3 north	11:31	14:29	178	8.2	8.2	8.2	1459.6	4	100	0.002	<LOD	N/A
Background	009	A3 center	11:33	14:31	178	8.2	8.2	8.2	1459.6	3.5	100	0.002	<LOD	N/A
Background	010	A3 south	11:34	14:32	178	8.2	8.2	8.2	1459.6	4.5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information


<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/03/2023
<b>Analyst Signature</b>			

# ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (Regulated Area 3)(Power Plant)	<b>Sample Date</b>	05/04/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A3 decon	08:16	11:11	175	8.2	8.2	8.2	1435	4.5	100	0.002	0.002	N/A
Background	004	A3 north	08:17	11:12	175	8.2	8.2	8.2	1435	5	100	0.002	0.002	N/A
Background	005	A3 center	08:18	11:14	176	8.2	8.2	8.2	1443.2	7	100	0.002	0.002	N/A
Background	006	A3 south	08:19	11:15	176	8.2	8.2	8.2	1443.2	4.5	100	0.002	0.002	N/A
Background	007	A3 decon	11:11	14:08	177	8.2	8.2	8.2	1451.4	3	100	0.002	<LOD	N/A
Background	008	A3 north	11:12	14:09	177	8.2	8.2	8.2	1451.4	5	100	0.002	0.002	N/A
Background	009	A3 center	11:14	14:11	177	8.2	8.2	8.2	1451.4	4.5	100	0.002	0.002	N/A
Background	010	A3 south	11:15	14:12	177	8.2	8.2	8.2	1451.4	6	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	Dante Sacchitella		<b>Analysis Date</b>	05/04/2023
<b>Analyst Signature</b>				




# ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (Regulated Area 3)(Power Plant)	<b>Sample Date</b>	05/05/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A3 decon	07:23	10:10	167	8.2	8.2	8.2	1369.4	5	100	0.002	0.002	N/A
Background	004	A3 north	07:24	10:10	166	8.2	8.2	8.2	1361.2	4	100	0.002	<LOD	N/A
Background	005	A3 center	07:26	10:13	167	8.2	8.2	8.2	1369.4	6.5	100	0.002	0.002	N/A
Background	006	A3 south	07:27	10:14	167	8.2	8.2	8.2	1369.4	3	100	0.002	<LOD	N/A
Background	007	A3 decon	10:10	13:08	178	8.2	8.2	8.2	1459.6	4.5	100	0.002	0.002	N/A
Background	008	A3 north	10:11	13:09	178	8.2	8.2	8.2	1459.6	3.5	100	0.002	<LOD	N/A
Background	009	A3 center	10:13	13:10	177	8.2	8.2	8.2	1451.4	5	100	0.002	0.002	N/A
Background	010	A3 south	10:32	13:11	159	8.2	8.2	8.2	1303.8	7	100	0.002	0.003	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information


<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/05/2023
<b>Analyst Signature</b>			

# ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (1898 West) (Power Plant)	<b>Sample Date</b>	05/08/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 1A	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	North end	08:10	11:00	170	8.2	8.2	8.2	1394	7	100	0.002	0.002	N/A
Area	004	Center	08:11	11:01	170	8.2	8.2	8.2	1394	5	100	0.002	0.002	N/A
Area	005	South end	08:12	11:02	170	8.2	8.2	8.2	1394	4	100	0.002	<LOD	N/A
Area	006	North end	11:00	14:01	181	8.2	8.2	8.2	1484.2	5.5	100	0.002	0.002	N/A
Area	007	Center	11:01	14:02	181	8.2	8.2	8.2	1484.2	6	100	0.002	0.002	N/A
Area	008	South end	11:02	14:03	181	8.2	8.2	8.2	1484.2	2.5	100	0.002	<LOD	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information


<b>Analyst</b>	Dante Sacchitella		
<b>Analyst Signature</b>		<b>Analysis Date</b>	05/08/2023

## ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (1898 West) (Power Plant)	<b>Sample Date</b>	05/09/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 1A	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	North end	08:08	10:59	171	8.2	8.2	8.2	1402.2	6.5	100	0.002	0.002	N/A
Area	004	Center	08:09	11:00	171	8.2	8.2	8.2	1402.2	5	100	0.002	0.002	N/A
Area	005	South end	08:10	11:01	171	8.2	8.2	8.2	1402.2	3	100	0.002	<LOD	N/A
Area	006	North end	10:59	13:58	179	8.2	8.2	8.2	1467.8	6	100	0.002	0.002	N/A
Area	007	Center	11:00	13:59	179	8.2	8.2	8.2	1467.8	4.5	100	0.002	0.002	N/A
Area	008	South end	11:01	14:00	179	8.2	8.2	8.2	1467.8	3.5	100	0.002	<LOD	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A


### Analysis Information

<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/09/2023
<b>Analyst Signature</b>			

<b>Project Name</b>	776 Summer Street (1898 West) (Power Plant)	<b>Sample Date</b>	05/10/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 1A	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	North end	08:14	11:02	168	8	8.2	8.1	1360.8	4.5	100	0.002	0.002	N/A
Area	004	Center	08:15	11:03	168	8	8	8	1344	7	100	0.002	0.003	N/A
Area	005	South end	08:16	11:04	168	8	8	8	1344	6	100	0.002	0.002	N/A
Area	006	North end	11:02	13:58	176	8	8	8	1408	5	100	0.002	0.002	N/A
Area	007	Center	11:03	13:59	176	8	8	8	1408	6.5	100	0.002	0.002	N/A
Area	008	South end	11:04	14:00	176	8	8	8	1408	4.5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information


<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/10/2023
<b>Analyst Signature</b>			

# ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (1898 West) (Power Plant)	<b>Sample Date</b>	05/11/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 1A	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	North end	08:00	10:57	177	8	8	8	1416	4.5	100	0.002	0.002	N/A
Background	004	Center	08:01	10:58	177	8	8	8	1416	5.5	100	0.002	0.002	N/A
Background	005	South end	08:02	10:59	177	8	8	8	1416	3	100	0.002	<LOD	N/A
Background	006	North end	10:57	13:55	178	8	8	8	1424	8	100	0.002	0.003	N/A
Background	007	Center	10:58	13:56	178	8	8	8	1424	4.5	100	0.002	0.002	N/A
Background	008	South end	10:59	13:57	178	8	8	8	1424	3	100	0.002	<LOD	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A


### Analysis Information

<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/11/2023
<b>Analyst Signature</b>			

<b>Project Name</b>	776 Summer Street (1898 West) (Power Plant)	<b>Sample Date</b>	05/12/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 1A	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	North	08:20	11:10	170	8	8	8	1360	5.5	100	0.002	0.002	N/A
Background	004	Center	08:21	11:11	170	8	8	8	1360	7	100	0.002	0.003	N/A
Background	005	South end	08:22	11:12	170	8	8	8	1360	6	100	0.002	0.002	N/A
Background	006	North end	11:10	14:00	170	8	8	8	1360	4.5	100	0.002	0.002	N/A
Background	007	Center	11:11	14:01	170	8	8	8	1360	5.5	100	0.002	0.002	N/A
Background	008	South end	11:12	14:02	170	8	8	8	1360	6	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A


### Analysis Information

<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/12/2023
<b>Analyst Signature</b>			

<b>Project Name</b>	776 Summer Street (Regulated Area 3)(Power Plant)	<b>Sample Date</b>	05/08/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A3 decon	08:19	11:14	175	8.2	8.2	8.2	1435	2.5	100	0.002	<LOD	N/A
Background	004	A3 north	08:20	11:15	175	8.2	8.2	8.2	1435	4	100	0.002	<LOD	N/A
Background	005	A3 center	08:22	11:17	175	8.2	8.2	8.2	1435	5	100	0.002	0.002	N/A
Background	006	A3 south	08:23	11:18	175	8.2	8.2	8.2	1435	3	100	0.002	<LOD	N/A
Background	007	A3 decon	11:14	14:10	176	8.2	8.2	8.2	1443.2	11	100	0.002	0.004	N/A
Background	008	A3 north	11:15	14:11	176	8.2	8.2	8.2	1443.2	5	100	0.002	0.002	N/A
Background	009	A3 center	11:17	14:13	176	8.2	8.2	8.2	1443.2	3.5	100	0.002	<LOD	N/A
Background	010	A3 south	11:18	14:14	176	8.2	8.2	8.2	1443.2	4.5	100	0.002	<LOD	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

**Analysis Information**


<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/08/2023
<b>Analyst Signature</b>			

# ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (Regulated Area 3)(Power Plant)	<b>Sample Date</b>	05/09/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A3 decon	08:16	11:08	172	8.2	8.2	8.2	1410.4	5	100	0.002	0.002	N/A
Background	004	A3 north	08:17	11:09	172	8.2	8.2	8.2	1410.4	3.5	100	0.002	<LOD	N/A
Background	005	A3 center	08:19	11:11	172	8.2	8.2	8.2	1410.4	4.5	100	0.002	0.002	N/A
Background	006	A3 south	08:20	11:12	172	8.2	8.2	8.2	1410.4	4	100	0.002	<LOD	N/A
Background	007	A3 decon	11:08	14:08	180	8.2	8.2	8.2	1476	4	100	0.002	<LOD	N/A
Background	008	A3 north	11:09	14:09	180	8.2	8.2	8.2	1476	3	100	0.002	<LOD	N/A
Background	009	A3 center	11:11	14:11	180	8.2	8.2	8.2	1476	5.5	100	0.002	0.002	N/A
Background	010	A3 south	11:12	14:12	180	8.2	8.2	8.2	1476	4	100	0.002	<LOD	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/09/2023
<b>Analyst Signature</b>			




# ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (Regulated Area 3)(Power Plant)	<b>Sample Date</b>	05/10/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A3 decon	08:50	11:36	166	8	8	8	1328	3	100	0.002	<LOD	N/A
Background	004	A3 north	08:51	11:37	166	8	8	8	1328	4.5	100	0.002	0.002	N/A
Background	005	A3 center	08:53	11:39	166	8	8	8	1328	6	100	0.002	0.002	N/A
Background	006	A3 south	08:54	11:40	166	8	8	8	1328	5	100	0.002	0.002	N/A
Background	007	A3 decon	11:36	14:15	159	8	8	8	1272	4	100	0.002	0.002	N/A
Background	008	A3 north	11:37	14:16	159	8	8	8	1272	3	100	0.002	<LOD	N/A
Background	009	A3 center	11:39	14:18	159	8	8	8	1272	5.5	100	0.002	0.002	N/A
Background	010	A3 south	11:40	14:19	159	8	8	8	1272	3	100	0.002	<LOD	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A


### Analysis Information

<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/10/2023
<b>Analyst Signature</b>			

<b>Project Name</b>	776 Summer Street (Regulated Area 3)(Power Plant)	<b>Sample Date</b>	05/11/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A3 decon	10:30	12:11	101	12	12	12	1212	5.5	100	0.002	0.002	N/A
Background	004	A3 north	10:31	12:12	101	12	12	12	1212	4	100	0.002	0.002	N/A
Background	005	A3 center	10:33	12:14	101	12	12	12	1212	3.5	100	0.002	<LOD	N/A
Background	006	A3 south	10:34	12:15	101	12	12	12	1212	7	100	0.002	0.003	N/A
Background	007	A3 decon	12:11	14:05	114	12	12	12	1368	6.5	100	0.002	0.002	N/A
Background	008	A3 north	12:12	14:06	114	12	12	12	1368	4.5	100	0.002	0.002	N/A
Background	009	A3 center	12:14	14:08	114	12	12	12	1368	3	100	0.002	<LOD	N/A
Background	010	A3 south	12:15	14:09	114	12	12	12	1368	7.5	100	0.002	0.003	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information


<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/11/2023
<b>Analyst Signature</b>			

# ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (Regulated Area 3)(Power Plant)	<b>Sample Date</b>	05/12/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A3 decon	08:45	11:30	165	8	8	8	1320	6	100	0.002	0.002	N/A
Background	004	A3 north	08:46	11:31	165	8	8	8	1320	5	100	0.002	0.002	N/A
Background	005	A3 center	08:48	11:33	165	8	8	8	1320	3	100	0.002	<LOD	N/A
Background	006	A3 south	08:49	11:34	165	8	8	8	1320	8	100	0.002	0.003	N/A
Background	007	A3 decon	11:30	14:03	153	8	8	8	1224	6	100	0.002	0.002	N/A
Background	008	A3 north	11:31	14:04	153	8	8	8	1224	14	100	0.002	0.006	N/A
Background	009	A3 center	11:33	14:06	153	8	8	8	1224	4	100	0.002	0.002	N/A
Background	010	A3 south	11:34	14:07	153	8	8	8	1224	5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/12/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (Regulated Area 4)(Power Plant) Week Ends 5/12/23	<b>Sample Date</b>	05/08/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 4 Courtyard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts 02127	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A4 South area of regulated area	07:46	10:30	164	8	8	8	1312	11	100	0.002	0.004	N/A
Background	004	A4 center-south area at fence	07:47	10:31	164	8	8	8	1312	8	100	0.002	0.003	N/A
Background	005	A4 center-north area at fence	07:48	10:32	164	8	8	8	1312	14	100	0.002	0.005	N/A
Background	006	A4 north area at generator	07:49	10:33	164	8	8	8	1312	9.5	100	0.002	0.004	N/A
Background	007	A4 South area of regulated area	11:26	14:01	155	8	8	8	1240	6.5	100	0.002	0.003	N/A
Background	008	A4 center-south area at fence	11:27	14:03	156	8	8	8	1248	5.5	100	0.002	0.002	N/A
Background	009	A4 center-north area at fence	11:28	14:04	156	8	8	8	1248	5	100	0.002	0.002	N/A
Background	010	A4 north area at generator	11:29	14:05	156	8	8	8	1248	7	100	0.002	0.003	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/08/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (Regulated Area 4)(Power Plant) Week Ends 5/12/23	<b>Sample Date</b>	05/09/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 4 Courtyard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts 02127	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A4 South area of regulated area	07:42	10:30	168	8	8	8	1344	9	100	0.002	0.003	N/A
Background	004	A4 center-south area at fence	07:43	10:31	168	8	8	8	1344	13.5	100	0.002	0.005	N/A
Background	005	A4 center-north area at fence	07:44	10:32	168	8	8	8	1344	11	100	0.002	0.004	N/A
Background	006	A4 north area at generator	07:45	10:33	168	8	8	8	1344	10.5	100	0.002	0.004	N/A
Background	007	A4 South area of regulated area	12:30	14:15	105	12	12	12	1260	6.5	100	0.002	0.003	N/A
Background	008	A4 center-south area at fence	12:31	14:16	105	12	12	12	1260	7	100	0.002	0.003	N/A
Background	009	A4 center-north area at fence	12:32	14:17	105	12	12	12	1260	8.5	100	0.002	0.003	N/A
Background	010	A4 north area at generator	12:33	14:18	105	12	12	12	1260	6.5	100	0.002	0.003	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/09/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (Regulated Area 4)(Power Plant) Week Ends 5/12/23	<b>Sample Date</b>	05/10/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 4 Courtyard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts 02127	<b>Sampling Type</b>	PCM


Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A4 South area of regulated area	07:30	10:15	165	8	8	8	1320	9.5	100	0.002	0.004	N/A
Background	004	A4 center-south area at fence	07:31	10:16	165	8	8	8	1320	10	100	0.002	0.004	N/A
Background	005	A4 center-north area at fence	07:32	10:17	165	8	8	8	1320	7.5	100	0.002	0.003	N/A
Background	006	A4 north area at generator	07:33	10:18	165	8	8	8	1320	8	100	0.002	0.003	N/A
Background	007	A4 South area of regulated area	11:25	14:08	163	8	8	8	1304	9.5	100	0.002	0.004	N/A
Background	008	A4 center-south area at fence	11:26	14:09	163	8	8	8	1304	6	100	0.002	0.002	N/A
Background	009	A4 center-north area at fence	11:27	14:10	163	8	8	8	1304	7	100	0.002	0.003	N/A
Background	010	A4 north area at generator	11:28	14:11	163	8	8	8	1304	8.5	100	0.002	0.003	N/A



## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/10/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (Regulated Area 4)(Power Plant) Week Ends 5/12/23	<b>Sample Date</b>	05/11/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 4 Courtyard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts 02127	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A4 South area of regulated area	07:40	10:25	165	8	8	8	1320	8.5	100	0.002	0.003	N/A
Background	004	A4 center-south area at fence	07:41	10:26	165	8	8	8	1320	7.5	100	0.002	0.003	N/A
Background	005	A4 center-north area at fence	07:42	10:27	165	8	8	8	1320	6	100	0.002	0.002	N/A
Background	006	A4 north area at generator	07:43	10:28	165	8	8	8	1320	6.5	100	0.002	0.002	N/A
Background	007	A4 South area of regulated area	11:15	13:56	161	8	8	8	1288	7	100	0.002	0.003	N/A
Background	008	A4 center-south area at fence	11:16	13:57	161	8	8	8	1288	7.5	100	0.002	0.003	N/A
Background	009	A4 center-north area at fence	11:17	13:58	161	8	8	8	1288	5	100	0.002	0.002	N/A
Background	010	A4 north area at generator	11:18	13:59	161	8	8	8	1288	7	100	0.002	0.003	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/11/2023
<b>Analyst Signature</b>	<i>David Adams</i>		

## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (Regulated Area 4)(Power Plant) Week Ends 5/12/23	<b>Sample Date</b>	05/12/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 4 Courtyard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts 02127	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A4 South area of regulated area	07:30	10:20	170	8	8	8	1360	6	100	0.002	0.002	N/A
Background	004	A4 center-south area at fence	07:31	10:21	170	8	8	8	1360	4.5	100	0.002	0.002	N/A
Background	005	A4 center-north area at fence	07:32	10:22	170	8	8	8	1360	7	100	0.002	0.003	N/A
Background	006	A4 north area at generator	07:33	10:23	170	8	8	8	1360	6.5	100	0.002	0.002	N/A
Background	007	A4 South area of regulated area	10:20	13:15	175	8	8	8	1400	4.5	100	0.002	0.002	N/A
Background	008	A4 center-south area at fence	10:21	13:16	175	8	8	8	1400	6	100	0.002	0.002	N/A
Background	009	A1 north area, end of regulated area at summer Street sidewalk	10:22	13:17	175	8	8	8	1400	6	100	0.002	0.002	N/A
Background	010	A4 north area at generator	10:23	13:18	175	8	8	8	1400	5.5	108	0.002	0.002	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/12/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (Regulated Area 1)(Power Plant)	<b>Sample Date</b>	05/08/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts 02127	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	07:51	10:35	164	8	8	8	1312	16	100	0.002	0.006	N/A
Background	004	A1 Center area of regulated area at summer Street sidewalk	07:52	10:36	164	8	8	8	1312	12.5	100	0.002	0.005	N/A
Background	005	A1 north area, end of regulated area at summer Street sidewalk	07:53	10:37	164	8	8	8	1312	6.5	100	0.002	0.002	N/A
Background	006	A1 adjacent gate B at summer Street sidewalk	07:54	10:38	164	8	8	8	1312	5	100	0.002	0.002	N/A
Background	007	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	11:31	14:07	156	8	8	8	1248	7.5	100	0.002	0.003	N/A
Background	008	A1 Center area of regulated area at summer Street sidewalk	11:32	14:08	156	8	8	8	1248	6.5	100	0.002	0.003	N/A

# ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	009	A1 north area, end of regulated area at summer Street sidewalk	11:33	14:09	156	8	8	8	1248	8	100	0.002	0.003	N/A
Background	010	A1 adjacent gate B at summer Street sidewalk	11:34	14:10	156	8	8	8	1248	4.5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

**Analysis Information**

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/08/2023
<b>Analyst Signature</b>			


Project Name		776 Summer Street (Regulated Area 1)(Power Plant)					Sample Date		05/09/2023					
TRC Project #		474824					Sampling Technician		David Adams					
Client		HRP 776 Summer Street PropCo LLC					Laboratory		TRC					
Facility Name		Building 3 North Yard					Sample/Analysis Method		NIOSH 7400					
Facility Location		776 Summer Street, Boston, Massachusetts 02127					Sampling Type		PCM					
Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	07:46	10:34	168	8	8	8	1344	5	100	0.002	0.002	N/A
Background	004	A1 Center area of regulated area at summer Street sidewalk	07:47	10:35	168	8	8	8	1344	4	100	0.002	<LOD	N/A
Background	005	A1 north area, end of regulated area at summer Street sidewalk	07:48	10:36	168	8	8	8	1344	6	100	0.002	0.002	N/A
Background	006	A1 adjacent gate B at summer Street sidewalk	07:49	10:37	168	8	8	8	1344	4	100	0.002	<LOD	N/A
Background	007	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	12:34	14:19	105	12	12	12	1260	5	100	0.002	0.002	N/A
Background	008	A1 Center area of regulated area at summer Street sidewalk	12:35	14:20	105	12	12	12	1260	6.5	100	0.002	0.003	N/A



## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	009	A4 center-north area at fence	12:36	14:21	105	12	12	12	1260	4	100	0.002	0.002	N/A
Background	010	A1 adjacent gate B at summer Street sidewalk	12:37	14:22	105	12	12	12	1260	4.5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/09/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (Regulated Area 1)(Power Plant)	<b>Sample Date</b>	05/10/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts 02127	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	07:34	10:19	165	8	8	8	1320	13.5	100	0.002	0.005	N/A
Background	004	A1 Center area of regulated area at summer Street sidewalk	07:35	10:20	165	8	8	8	1320	17	100	0.002	0.006	N/A
Background	005	A1 north area, end of regulated area at summer Street sidewalk	07:36	10:20	164	8	8	8	1312	12	100	0.002	0.004	N/A
Background	006	A1 adjacent gate B at summer Street sidewalk	07:37	10:22	165	8	8	8	1320	6	100	0.002	0.002	N/A
Background	007	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	11:29	14:12	163	8	8	8	1304	22.5	100	0.002	0.008	N/A
Background	008	A1 Center area of regulated area at summer Street sidewalk	11:30	14:13	163	8	8	8	1304	16.5	100	0.002	0.006	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	009	A1 north area, end of regulated area at summer Street sidewalk	11:31	14:14	163	8	8	8	1304	10.5	100	0.002	0.004	N/A
Background	010	A1 adjacent gate B at summer Street sidewalk	11:32	14:15	163	8	8	8	1304	6	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information


<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/10/2023
<b>Analyst Signature</b>			

<b>Project Name</b>	776 Summer Street (Regulated Area 1)(Power Plant)	<b>Sample Date</b>	05/11/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts 02127	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	07:44	10:29	165	8	8	8	1320	9	100	0.002	0.003	N/A
Background	004	A1 Center area of regulated area at summer Street sidewalk	07:45	10:30	165	8	8	8	1320	10.5	100	0.002	0.004	N/A
Background	005	A1 north area, end of regulated area at summer Street sidewalk	07:46	10:30	164	8	8	8	1312	7.5	100	0.002	0.003	N/A
Background	006	A1 adjacent gate B at summer Street sidewalk	07:47	10:32	165	8	8	8	1320	6.5	100	0.002	0.002	N/A
Background	007	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	11:19	14:00	161	8	8	8	1288	6	100	0.002	0.002	N/A
Background	008	A1 Center area of regulated area at	11:20	14:01	161	8	8	8	1288	5.5	100	0.002	0.002	N/A

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
		summer Street sidewalk												
Background	009	A1 north area, end of regulated area at summer Street sidewalk	11:21	14:02	161	8	8	8	1288	7	100	0.002	0.003	N/A
Background	010	A1 adjacent gate B at summer Street sidewalk	11:22	14:03	161	8	8	8	1288	5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/11/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (Regulated Area 1)(Power Plant)	<b>Sample Date</b>	05/12/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts 02127	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	07:34	10:24	170	8	8	8	1360	9	100	0.002	0.003	N/A
Background	004	A1 Center area of regulated area at summer Street sidewalk	07:35	10:25	170	8	8	8	1360	8.5	100	0.002	0.003	N/A
Background	005	A1 north area, end of regulated area at summer Street sidewalk	07:36	10:26	170	8	8	8	1360	8	100	0.002	0.003	N/A
Background	006	A1 adjacent gate B at summer Street sidewalk	07:37	10:27	170	8	8	8	1360	7.5	100	0.002	0.003	N/A
Background	007	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	10:24	13:19	175	8	8	8	1400	6	100	0.002	0.002	N/A
Background	008	A1 Center area of regulated area at summer Street sidewalk	10:25	13:20	175	8	8	8	1400	6.5	100	0.002	0.002	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	009	A1 north area, end of regulated area at summer Street sidewalk	10:26	13:21	175	8	8	8	1400	7	100	0.002	0.002	N/A
Background	010	A1 adjacent gate B at summer Street sidewalk	10:27	13:22	175	8	8	8	1400	5.5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A


### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/12/2023
<b>Analyst Signature</b>			

<b>Project Name</b>	776 Summer Street (Regulated Area 3)(Power Plant)	<b>Sample Date</b>	05/15/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	658 E First Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A3 decon	08:00	11:02	182	8	8	8	1456	8	100	0.002	0.003	N/A
Background	004	A3 North	08:01	11:03	182	8	8	8	1456	6.5	100	0.002	0.002	N/A
Background	005	A3 center	08:03	11:05	182	8	8	8	1456	7.5	100	0.002	0.003	N/A
Background	006	A3 south	08:04	11:06	182	8	8	8	1456	4.5	100	0.002	0.002	N/A
Background	007	A3 Decon	11:02	14:00	178	8	8	8	1424	7	100	0.002	0.002	N/A
Background	008	A3 north	11:03	14:01	178	8	8	8	1424	5	100	0.002	0.002	N/A
Background	009	A3 center	11:05	14:02	177	8	8	8	1416	4.5	100	0.002	0.002	N/A
Background	010	A3 south	11:06	14:03	177	8	8	8	1416	3	100	0.002	<LOD	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

**Analysis Information**

<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/15/2023
<b>Analyst Signature</b>			




# ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (Regulated Area 3)(Power Plant)	<b>Sample Date</b>	05/16/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	658 E First Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A3 decon	08:05	11:01	176	8	8	8	1408	10.5	100	0.002	0.004	N/A
Background	004	A3 north	08:06	11:02	176	8	8	8	1408	7.5	100	0.002	0.003	N/A
Background	005	A3 center	08:08	11:04	176	8	8	8	1408	8	100	0.002	0.003	N/A
Background	006	A3 south	08:09	11:05	176	8	8	8	1408	6.5	100	0.002	0.002	N/A
Background	007	A3 decon	11:01	14:06	185	8	8	8	1480	7	100	0.002	0.002	N/A
Background	008	A3 north	11:02	14:07	185	8	8	8	1480	6	100	0.002	0.002	N/A
Background	009	A3 center	11:04	14:09	185	8	8	8	1480	4.5	100	0.002	<LOD	N/A
Background	010	A3 south	11:05	14:10	185	8	8	8	1480	5.5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information


<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/16/2023
<b>Analyst Signature</b>			

# ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (Regulated Area 3)(Power Plant)	<b>Sample Date</b>	05/17/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	658 E First Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A3 decon	08:10	11:13	183	8	8	8	1464	3	100	0.002	<LOD	N/A
Background	004	A3 north	08:11	11:14	183	8	8	8	1464	4	100	0.002	<LOD	N/A
Background	005	A3 center	08:13	11:16	183	8	8	8	1464	6	100	0.002	0.002	N/A
Background	006	A3 south	08:14	11:17	183	8	8	8	1464	5.5	100	0.002	0.002	N/A
Background	007	A3 decon	11:13	14:08	175	8	8	8	1400	4.5	100	0.002	0.002	N/A
Background	008	A3 north	11:14	14:09	175	8	8	8	1400	6	100	0.002	0.002	N/A
Background	009	A3 center	11:16	14:11	175	8	8	8	1400	8	100	0.002	0.003	N/A
Background	010	A3 south	11:17	14:12	175	8	8	8	1400	11.5	100	0.002	0.004	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A


### Analysis Information

<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/17/2023
<b>Analyst Signature</b>			

<b>Project Name</b>	776 Summer Street (Regulated Area 3)(Power Plant)	<b>Sample Date</b>	05/18/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Jeremy Faulkner
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	658 E First Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A3 south	08:11	11:12	181	8	8	8	1448	4	100	0.002	<LOD	N/A
Background	004	A3 center	08:12	11:13	181	8	8	8	1448	8	100	0.002	0.003	N/A
Background	005	A3 north	08:13	11:14	181	8	8	8	1448	3.5	100	0.002	<LOD	N/A
Background	006	A3 decon	08:14	11:15	181	8	8	8	1448	5	100	0.002	0.002	N/A
Background	007	A3 south	11:12	14:14	182	8	8	8	1456	7	100	0.002	0.002	N/A
Background	008	A3 center	11:13	14:15	182	8	8	8	1456	6	100	0.002	0.002	N/A
Background	009	A3 north	11:14	14:16	182	8	8	8	1456	3	100	0.002	<LOD	N/A
Background	010	A3 decon	11:15	14:17	182	8	8	8	1456	5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A


### Analysis Information

<b>Analyst</b>	Jeremy Faulkner	<b>Analysis Date</b>	05/18/2023
<b>Analyst Signature</b>			

<b>Project Name</b>	776 Summer Street (Regulated Area 3)(Power Plant)	<b>Sample Date</b>	05/19/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	658 E First Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A3 decon	08:00	11:00	180	8	8	8	1440	4	100	0.002	<LOD	N/A
Background	004	A3 north	08:01	11:01	180	8	8	8	1440	5.5	100	0.002	0.002	N/A
Background	005	A3 center	08:03	11:03	180	8	8	8	1440	3.5	100	0.002	<LOD	N/A
Background	006	A3 south	08:04	11:04	180	8	8	8	1440	6	100	0.002	0.002	N/A
Background	007	A3 decon	11:00	14:01	181	8	8	8	1448	5	100	0.002	0.002	N/A
Background	008	A3 north	11:01	14:02	181	8	8	8	1448	3	100	0.002	<LOD	N/A
Background	009	A3 center	11:03	14:04	181	8	8	8	1448	6	100	0.002	0.002	N/A
Background	010	A3 south	11:04	14:05	181	8	8	8	1448	5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/19/2023
<b>Analyst Signature</b>			


<b>Project Name</b>	776 Summer Street (Regulated Area 1)(Power Plant)	<b>Sample Date</b>	05/15/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	07:42	10:27	165	8	8	8	1320	7	100	0.002	0.003	N/A
Background	004	A1 Center area of regulated area at summer Street sidewalk	07:43	10:28	165	8	8	8	1320	7	100	0.002	0.003	N/A
Background	005	A1 north area, end of regulated area at summer Street sidewalk	07:44	10:29	165	8	8	8	1320	5.5	100	0.002	0.002	N/A
Background	006	A1 adjacent gate B at summer Street sidewalk	07:45	10:30	165	8	8	8	1320	5	100	0.002	0.002	N/A
Background	007	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	11:04	13:43	159	8	8	8	1272	5.5	100	0.002	0.002	N/A
Background	008	A1 Center area of regulated area at summer Street sidewalk	11:05	13:44	159	8	8	8	1272	6.5	100	0.002	0.003	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	009	A1 north area, end of regulated area at summer Street sidewalk	11:06	13:45	159	8	8	8	1272	5	100	0.002	0.002	N/A
Background	010	A1 adjacent gate B at summer Street sidewalk	11:07	13:46	159	8	8	8	1272	7.5	100	0.002	0.003	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/15/2023
<b>Analyst Signature</b>			


<b>Project Name</b>	776 Summer Street (Regulated Area 1)(Power Plant)	<b>Sample Date</b>	05/16/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	07:35	10:15	160	8	8	8	1280	5	100	0.002	0.002	N/A
Background	004	A1 Center area of regulated area at summer Street sidewalk	07:36	10:16	160	8	8	8	1280	6.5	100	0.002	0.002	N/A
Background	005	A1 north area, end of regulated area at summer Street sidewalk	07:37	10:17	160	8	8	8	1280	7	100	0.002	0.003	N/A
Background	006	A1 adjacent gate B at summer Street sidewalk	07:38	10:18	160	8	8	8	1280	6.5	100	0.002	0.002	N/A
Background	007	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	11:21	14:08	167	8	8	8	1336	7	100	0.002	0.003	N/A
Background	008	A1 Center area of regulated area at summer Street sidewalk	11:22	14:09	167	8	8	8	1336	5.5	100	0.002	0.002	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	009	A1 north area, end of regulated area at summer Street sidewalk	11:23	14:10	167	8	8	8	1336	5	100	0.002	0.002	N/A
Background	010	A1 adjacent gate B at summer Street sidewalk	11:24	14:11	167	8	8	8	1336	7.5	100	0.002	0.003	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/16/2023
<b>Analyst Signature</b>			



## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (Regulated Area 1)(Power Plant)	<b>Sample Date</b>	05/17/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	07:49	10:39	170	8	8	8	1360	8.5	100	0.002	0.003	N/A
Background	004	A1 Center area of regulated area at summer Street sidewalk	07:50	10:40	170	8	8	8	1360	6.5	100	0.002	0.002	N/A
Background	005	A1 north area, end of regulated area at summer Street sidewalk	07:51	10:41	170	8	8	8	1360	7	100	0.002	0.003	N/A
Background	006	A1 adjacent gate B at summer Street sidewalk	07:52	10:42	170	8	8	8	1360	8	100	0.002	0.003	N/A
Background	007	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	11:04	13:49	165	8	8	8	1320	7	100	0.002	0.003	N/A
Background	008	A1 Center area of regulated area at summer Street sidewalk	11:05	13:50	165	8	8	8	1320	6	100	0.002	0.002	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	009	A1 north area, end of regulated area at summer Street sidewalk	11:06	13:51	165	8	8	8	1320	5	100	0.002	0.002	N/A
Background	010	A1 adjacent gate B at summer Street sidewalk	11:07	13:52	165	8	8	8	1320	6.5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/17/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (Regulated Area 1)(Power Plant)	<b>Sample Date</b>	05/18/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	07:30	10:13	163	8	8	8	1304	8.5	100	0.002	0.003	N/A
Area	004	A1 Center area of regulated area at summer Street sidewalk	07:31	10:14	163	8	8	8	1304	7.5	100	0.002	0.003	N/A
Area	005	A1 north area, end of regulated area at summer Street sidewalk	07:32	10:15	163	8	8	8	1304	8	100	0.002	0.003	N/A
Area	006	A1 adjacent gate B at summer Street sidewalk	07:33	10:16	163	8	8	8	1304	5.5	100	0.002	0.002	N/A
Area	007	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	11:20	14:05	165	8	8	8	1320	8.5	100	0.002	0.003	N/A
Area	008	A1 Center area of regulated area at summer Street sidewalk	11:21	14:06	165	8	8	8	1320	9.5	100	0.002	0.004	N/A

# ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	009	A1 north area, end of regulated area at summer Street sidewalk	11:22	14:07	165	8	8	8	1320	6.5	100	0.002	0.002	N/A
Area	010	A1 adjacent gate B at summer Street sidewalk	11:23	14:08	165	8	8	8	1320	5.5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

**Analysis Information**

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/18/2023
<b>Analyst Signature</b>			


## ASBESTOS AIR SAMPLE RESULTS

Project Name		776 Summer Street (Regulated Area 1)(Power Plant)					Sample Date		05/19/2023					
TRC Project #		474824					Sampling Technician		David Adams					
Client		HRP 776 Summer Street PropCo LLC					Laboratory		TRC					
Facility Name		Building 3 North Yard					Sample/Analysis Method		NIOSH 7400					
Facility Location		776 Summer Street, Boston, Massachusetts					Sampling Type		PCM					
Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	07:49	10:34	165	8	8	8	1320	6	100	0.002	0.002	N/A
Background	004	A1 Center area of regulated area at summer Street sidewalk	07:50	10:35	165	8	8	8	1320	7.5	100	0.002	0.003	N/A
Area	005	A1 north area, end of regulated area at summer Street sidewalk	07:51	10:36	165	8	8	8	1320	8.5	100	0.002	0.003	N/A
Area	006	A4 north area at generator	07:52	10:37	165	8	8	8	1320	5.5	100	0.002	0.002	N/A
Area	007	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	11:04	13:44	160	8	8	8	1280	5	100	0.002	0.002	N/A
Area	008	A1 Center area of regulated area at summer Street sidewalk	11:05	13:45	160	8	8	8	1280	7	100	0.002	0.003	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	009	A1 north area, end of regulated area at summer Street sidewalk	11:06	13:46	160	8	8	8	1280	7.5	100	0.002	0.003	N/A
Area	010	A1 adjacent gate B at summer Street sidewalk	11:07	13:47	160	8	8	8	1280	6	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A


### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/19/2023
<b>Analyst Signature</b>			

<b>Project Name</b>	776 Summer Street (1898 West)(Power Plant)	<b>Sample Date</b>	05/15/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 1A	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	658 E First Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	North	07:45	10:45	180	8	8	8	1440	4	100	0.002	<LOD	N/A
Background	004	Center	07:46	10:45	179	8	8	8	1432	3.5	100	0.002	<LOD	N/A
Background	005	South end	07:47	10:47	180	8	8	8	1440	6	100	0.002	0.002	N/A
Background	006	North end	10:45	13:44	179	8	8	8	1432	6	100	0.002	0.002	N/A
Background	007	Center	10:46	13:45	179	8	8	8	1432	7.5	100	0.002	0.003	N/A
Background	008	South end	10:47	13:46	179	8	8	8	1432	4	100	0.002	<LOD	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information


<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/15/2023
<b>Analyst Signature</b>			

# ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (1898 West)(Power Plant)	<b>Sample Date</b>	05/16/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 1A	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	658 E First Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	North end	07:40	10:45	185	8	8	8	1480	5.5	100	0.002	0.002	N/A
Background	004	Center	07:41	10:46	185	8	8	8	1480	7	100	0.002	0.002	N/A
Background	005	South end	07:42	10:47	185	8	8	8	1480	4	100	0.002	<LOD	N/A
Background	006	North end	10:45	13:48	183	8	8	8	1464	4	100	0.002	<LOD	N/A
Background	007	Center	10:46	13:49	183	8	8	8	1464	6	100	0.002	0.002	N/A
Background	008	South end	10:47	13:50	183	8	8	8	1464	3	100	0.002	<LOD	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information


<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/16/2023
<b>Analyst Signature</b>			



<b>Project Name</b>	776 Summer Street (1898 West)(Power Plant)	<b>Sample Date</b>	05/17/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 1A	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	658 E First Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	North end	07:50	10:54	184	8	8	8	1472	2.5	100	0.002	<LOD	N/A
Background	004	Center	07:51	10:55	184	8	8	8	1472	6	100	0.002	0.002	N/A
Background	005	South end	07:56	10:56	180	8	8	8	1440	7.5	100	0.002	0.003	N/A
Background	006	North end	10:54	13:57	183	8	8	8	1464	4.5	100	0.002	0.002	N/A
Background	007	Center	10:55	13:58	183	8	8	8	1464	7	100	0.002	0.002	N/A
Background	008	South end	10:56	13:59	183	8	8	8	1464	5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A


**Analysis Information**

<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/17/2023
<b>Analyst Signature</b>			

<b>Project Name</b>	776 Summer Street (1898 West)(Power Plant)	<b>Sample Date</b>	05/18/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 1A	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	658 E First Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	South end	07:45	10:25	160	8	8	8	1280	3.5	100	0.002	<LOD	N/A
Background	004	Center Area	07:46	10:26	160	8	8	8	1280	5	100	0.002	0.002	N/A
Background	005	North end	07:47	10:27	160	8	8	8	1280	4	100	0.002	0.002	N/A
Background	006	South end	11:17	13:57	160	8	8	8	1280	7	100	0.002	0.003	N/A
Background	007	Center Area	11:18	13:58	160	8	8	8	1280	5.5	100	0.002	0.002	N/A
Background	008	North end	11:19	13:59	160	8	8	8	1280	4	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A


### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/18/2023
<b>Analyst Signature</b>			

<b>Project Name</b>	776 Summer Street (1898 West)(Power Plant)	<b>Sample Date</b>	05/19/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 1A	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	658 E First Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	North end	07:39	10:36	177	8	8	8	1416	6	100	0.002	0.002	N/A
Background	004	Center	07:40	10:37	177	8	8	8	1416	4	100	0.002	<LOD	N/A
Background	005	South end	07:41	10:38	177	8	8	8	1416	5.5	100	0.002	0.002	N/A
Background	006	North end	10:36	13:40	184	8	8	8	1472	5	100	0.002	0.002	N/A
Background	007	Center	10:37	13:41	184	8	8	8	1472	7	100	0.002	0.002	N/A
Background	008	South end	10:38	13:42	184	8	8	8	1472	4	100	0.002	<LOD	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank		Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/19/2023
<b>Analyst Signature</b>			


<b>Project Name</b>	776 Summer Street (Regulated Area 4)(Power Plant)	<b>Sample Date</b>	05/15/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 4 Courtyard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts, 02127	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A4 South area of regulated area	07:37	10:23	166	8	8	8	1328	6	100	0.002	0.002	N/A
Background	004	A4 center-south area at fence	07:38	10:24	166	8	8	8	1328	7	100	0.002	0.003	N/A
Background	005	A4 center-north area at fence	07:40	10:25	165	8	8	8	1320	6	100	0.002	0.002	N/A
Background	006	A4 north area at generator	07:41	10:26	165	8	8	8	1320	5.5	100	0.002	0.002	N/A
Background	007	A4 South area of regulated area	11:00	13:39	159	8	8	8	1272	5.5	100	0.002	0.002	N/A
Background	008	A4 center-south area at fence	11:01	13:40	159	8	8	8	1272	5	100	0.002	0.002	N/A
Background	009	A4 center-north area at fence	11:02	13:41	159	8	8	8	1272	7	100	0.002	0.003	N/A
Background	010	A4 north area at generator	11:03	13:46	163	8	8	8	1304	4.5	100	0.002	0.002	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/15/2023
<b>Analyst Signature</b>			


<b>Project Name</b>	776 Summer Street (Regulated Area 4)(Power Plant)	<b>Sample Date</b>	05/16/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 4 Courtyard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts 02127	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A4 South area of regulated area	07:31	10:11	160	8	8	8	1280	8	100	0.002	0.003	N/A
Background	004	A4 center-south area at fence	07:32	10:12	160	8	8	8	1280	6	100	0.002	0.002	N/A
Background	005	A4 center-north area at fence	07:33	10:13	160	8	8	8	1280	7	100	0.002	0.003	N/A
Background	006	A4 north area at generator	07:34	10:14	160	8	8	8	1280	5.5	100	0.002	0.002	N/A
Background	007	A4 South area of regulated area	11:17	14:04	167	8	8	8	1336	5	100	0.002	0.002	N/A
Background	008	A4 center-south area at fence	11:18	14:05	167	8	8	8	1336	7.5	100	0.002	0.003	N/A
Background	009	A4 center-north area at fence	11:19	14:06	167	8	8	8	1336	6.5	108	0.002	0.002	N/A
Background	010	A4 north area at generator	11:20	14:07	167	8	8	8	1336	4.5	100	0.002	0.002	N/A

# ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/16/2023
<b>Analyst Signature</b>			

<b>Project Name</b>	776 Summer Street (Regulated Area 4)(Power Plant)	<b>Sample Date</b>	05/17/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 4 Courtyard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts 02127	<b>Sampling Type</b>	PCM


Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A4 South area of regulated area	07:45	10:35	170	8	8	8	1360	7.5	100	0.002	0.003	N/A
Background	004	A4 center-south area at fence	07:46	10:36	170	8	8	8	1360	9.5	100	0.002	0.003	N/A
Background	005	A4 center-north area at fence	07:47	10:37	170	8	8	8	1360	7	100	0.002	0.003	N/A
Background	006	A4 north area at generator	07:48	10:38	170	8	8	8	1360	6	100	0.002	0.002	N/A
Background	007	A4 South area of regulated area	11:00	13:45	165	8	8	8	1320	7.5	100	0.002	0.003	N/A
Background	008	A4 center-south area at fence	11:01	13:46	165	8	8	8	1320	6	100	0.002	0.002	N/A
Background	009	A4 center-north area at fence	11:02	13:47	165	8	8	8	1320	7.5	100	0.002	0.003	N/A
Background	010	A4 north area at generator	11:03	13:48	165	8	8	8	1320	5.5	100	0.002	0.002	N/A



## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/17/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (Regulated Area 4)(Power Plant)	<b>Sample Date</b>	05/18/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Jeremy Faulkner
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 4 Courtyard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts 02127	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A4 South area of regulated area	07:34	10:23	169	8	8	8	1352	11.5	100	0.002	0.004	N/A
Background	004	A4 center-south area at fence	07:37	10:26	169	8	8	8	1352	8	100	0.002	0.003	N/A
Background	005	A4 center-north area at fence	07:38	10:27	169	8	8	8	1352	4	100	0.002	<LOD	N/A
Background	006	A4 north area at generator	07:39	10:28	169	8	8	8	1352	5	100	0.002	0.002	N/A
Background	007	A4 South area of regulated area	11:05	13:58	173	8	8	8	1384	9.5	100	0.002	0.003	N/A
Background	008	A4 center-south area at fence	11:07	14:00	173	8	8	8	1384	7	100	0.002	0.002	N/A
Background	009	A4 center-north area at fence	11:08	14:02	174	8	8	8	1392	2.5	100	0.002	<LOD	N/A
Background	010	A4 north area at generator	11:09	14:03	174	8	8	8	1392	6	100	0.002	0.002	N/A

# ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	Jeremy Faulkner	<b>Analysis Date</b>	05/18/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (Regulated Area 4)(Power Plant)	<b>Sample Date</b>	05/19/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 4 Courtyard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts 02127	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A4 South area of regulated area	07:45	10:30	165	8	8	8	1320	6	100	0.002	0.002	N/A
Background	004	A4 center-south area at fence	07:46	10:31	165	8	8	8	1320	7.5	100	0.002	0.003	N/A
Background	005	A4 center-north area at fence	07:47	10:32	165	8	8	8	1320	5	100	0.002	0.002	N/A
Background	006	A4 north area at generator	07:48	10:33	165	8	8	8	1320	5	100	0.002	0.002	N/A
Background	007	A4 South area of regulated area	11:00	13:40	160	8	8	8	1280	5.5	100	0.002	0.002	N/A
Background	008	A4 center-south area at fence	11:01	13:41	160	8	8	8	1280	6	100	0.002	0.002	N/A
Background	009	A4 center-north area at fence	11:02	13:42	160	8	8	8	1280	6.5	100	0.002	0.002	N/A
Background	010	A4 north area at generator	11:03	13:43	160	8	8	8	1280	4.5	100	0.002	0.002	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information


<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/19/2023
<b>Analyst Signature</b>			

# ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (Panels - Regulated Area 4) Power Plant	<b>Sample Date</b>	05/25/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 CMU Tunnel	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	South area at critical barrier	07:35	10:27	172	8	8	8	1376	8	100	0.002	0.003	N/A
Area	004	North area at loadout	07:36	10:28	172	8	8	8	1376	5.5	100	0.002	0.002	N/A
Area	005	East area at decon	07:37	10:29	172	8	8	8	1376	7	100	0.002	0.002	N/A
Area	006	South area at critical barrier	11:30	14:00	150	8	8	8	1200	7	100	0.002	0.003	N/A
Area	007	North area at loadout	11:31	14:02	151	8	8	8	1208	4	100	0.002	0.002	N/A
Area	008	East area at decon	11:32	14:03	151	8	8	8	1208	6.5	100	0.002	0.003	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information


<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/25/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (Panels - Regulated Area 4) Power Plant	<b>Sample Date</b>	05/26/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 CMU Tunnel	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	South area at critical barrier	07:50	09:50	120	10	10	10	1200	8	100	0.002	0.003	N/A
Area	004	North area at loadout	07:51	09:51	120	10	10	10	1200	5.5	100	0.002	0.002	N/A
Area	005	East area at decon	07:52	09:52	120	10	10	10	1200	7.5	100	0.002	0.003	N/A
Area	006	South area at critical barrier	09:50	11:50	120	10	10	10	1200	6	100	0.002	0.002	N/A
Area	007	North area at loadout	09:51	11:51	120	10	10	10	1200	5.5	100	0.002	0.002	N/A
Area	008	East area at decon	09:52	11:52	120	10	10	10	1200	7	100	0.002	0.003	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/26/2023
<b>Analyst Signature</b>			

<b>Project Name</b>	776 Summer Street (Regulated Area 4) Power Plant	<b>Sample Date</b>	05/22/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 4 Courtyard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts	<b>Sampling Type</b>	PCM


Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A4 South area of regulated area	07:35	10:22	167	8	8	8	1336	6	100	0.002	0.002	N/A
Background	004	A4 center-south area at fence	07:36	10:23	167	8	8	8	1336	5	100	0.002	0.002	N/A
Background	005	A4 center-north area at fence	07:37	10:24	167	8	8	8	1336	5.5	100	0.002	0.002	N/A
Background	006	A4 north area at generator	07:38	10:25	167	8	8	8	1336	6.5	100	0.002	0.002	N/A
Background	007	A4 South area of regulated area	11:00	13:45	165	8	8	8	1320	7	100	0.002	0.003	N/A
Background	008	A4 center-south area at fence	11:01	13:46	165	8	8	8	1320	6	100	0.002	0.002	N/A
Background	009	A4 center-north area at fence	11:02	13:47	165	8	8	8	1320	7	100	0.002	0.003	N/A
Background	010	A4 north area at generator	11:03	13:48	165	8	8	8	1320	6.5	100	0.002	0.002	N/A



## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/22/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (Regulated Area 4) Power Plant	<b>Sample Date</b>	05/23/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 4 Courtyard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A4 South area of regulated area	07:31	10:15	164	8	8	8	1312	6.5	100	0.002	0.002	N/A
Background	004	A4 center-south area at fence	07:32	10:16	164	8	8	8	1312	7	100	0.002	0.003	N/A
Background	005	A4 center-north area at fence	07:33	10:17	164	8	8	8	1312	6	100	0.002	0.002	N/A
Background	006	A4 north area at generator	07:34	10:18	164	8	8	8	1312	6.5	100	0.002	0.002	N/A
Background	007	A4 South area of regulated area	10:53	13:43	170	8	8	8	1360	5	100	0.002	0.002	N/A
Background	008	A4 center-south area at fence	10:54	13:44	170	8	8	8	1360	5.5	100	0.002	0.002	N/A
Background	009	A4 center-north area at fence	10:55	13:45	170	8	8	8	1360	4	100	0.002	<LOD	N/A
Background	010	A4 north area at generator	10:56	13:46	170	8	8	8	1360	5.5	100	0.002	0.002	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information


<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/23/2023
<b>Analyst Signature</b>			

<b>Project Name</b>		776 Summer Street (Regulated Area 4) Power Plant					<b>Sample Date</b>		05/24/2023					
<b>TRC Project #</b>		474824					<b>Sampling Technician</b>		David Adams					
<b>Client</b>		HRP 776 Summer Street PropCo LLC					<b>Laboratory</b>		TRC					
<b>Facility Name</b>		Building 4 Courtyard					<b>Sample/Analysis Method</b>		NIOSH 7400					
<b>Facility Location</b>		776 Summer Street, Boston, Massachusetts					<b>Sampling Type</b>		PCM					
Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A4 South area of regulated area	08:00	10:47	167	8	8	8	1336	5	100	0.002	0.002	N/A
Background	004	A4 center-south area at fence	08:01	10:48	167	8	8	8	1336	6	100	0.002	0.002	N/A
Background	005	A4 center-north area at fence	08:02	10:49	167	8	8	8	1336	5.5	100	0.002	0.002	N/A
Background	006	A4 north area at generator	08:03	10:50	167	8	8	8	1336	7	100	0.002	0.003	N/A
Background	007	A4 South area of regulated area	10:47	13:45	178	8	8	8	1424	8	100	0.002	0.003	N/A
Background	008	A4 center-south area at fence	10:48	13:46	178	8	8	8	1424	6.5	100	0.002	0.002	N/A
Background	009	A4 center-north area at fence	10:49	13:47	178	8	8	8	1424	9	100	0.002	0.003	N/A
Background	010	A4 north area at generator	10:50	13:48	178	8	8	8	1424	5.5	100	0.002	0.002	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/24/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (Regulated Area 4) Power Plant	<b>Sample Date</b>	05/25/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Jeremy Faulkner
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 4 Courtyard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A4 South area of regulated area	07:52	10:42	170	8	8	8	1360	9	100	0.002	0.003	N/A
Background	004	A4 center-south area at fence	07:53	10:43	170	8	8	8	1360	4	100	0.002	<LOD	N/A
Background	005	A4 center-north area at fence	07:54	10:44	170	8	8	8	1360	5	100	0.002	0.002	N/A
Background	006	A4 north area at generator	07:55	10:45	170	8	8	8	1360	3.5	100	0.002	<LOD	N/A
Background	007	A4 South area of regulated area	10:42	13:35	173	8	8	8	1384	12	100	0.002	0.004	N/A
Background	008	A4 center-south area at fence	10:43	13:36	173	8	8	8	1384	5	100	0.002	0.002	N/A
Background	009	A4 center-north area at fence	10:45	13:38	173	8	8	8	1384	6	100	0.002	0.002	N/A
Background	010	A4 north area at generator	10:55	13:48	173	8	8	8	1384	2.5	100	0.002	<LOD	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	Jeremy Faulkner	<b>Analysis Date</b>	05/25/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (Regulated Area 4) Power Plant	<b>Sample Date</b>	05/26/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Jeremy Faulkner
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 4 Courtyard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts	<b>Sampling Type</b>	PCM


Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A4 South area of regulated area	07:23	09:30	127	10	10	10	1270	12	100	0.002	0.005	N/A
Background	004	A4 center-south area at fence	07:24	09:31	127	10	10	10	1270	8	100	0.002	0.003	N/A
Background	005	A4 center-north area at fence	07:25	09:32	127	10	10	10	1270	3	100	0.002	<LOD	N/A
Background	006	A4 north area at generator	07:26	09:33	127	10	10	10	1270	5	100	0.002	0.002	N/A
Background	007	A4 south area of regulated area	09:30	11:31	121	10	10	10	1210	7	100	0.002	0.003	N/A
Background	008	A4 center-south area at fence	09:31	11:32	121	10	10	10	1210	4	100	0.002	0.002	N/A
Background	009	A4 center- north area at fence	09:32	11:33	121	10	10	10	1210	3	100	0.002	<LOD	N/A
Background	010	A4 north area at generator	09:33	11:34	121	10	10	10	1210	3.5	100	0.002	<LOD	N/A



# ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

## Analysis Information

<b>Analyst</b>	Jeremy Faulkner	<b>Analysis Date</b>	05/26/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (1898 West Phase 1 Sorting)(Power Plant)	<b>Sample Date</b>	05/22/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 1A	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	North end viewport area	07:48	10:50	182	8	8	8	1456	6.5	100	0.002	0.002	N/A
Background	004	North East area	07:49	10:51	182	8	8	8	1456	5	100	0.002	0.002	N/A
Background	005	Center viewport entry area	07:50	10:52	182	8	8	8	1456	4.5	100	0.002	0.002	N/A
Background	006	South end at loadout	07:53	10:55	182	8	8	8	1456	3	100	0.002	<LOD	N/A
Background	007	North end at viewport	10:50	13:51	181	8	8	8	1448	4.5	100	0.002	0.002	N/A
Background	008	North east area	10:51	13:52	181	8	8	8	1448	3	100	0.002	<LOD	N/A
Background	009	Center viewport entry	10:52	13:53	181	8	8	8	1448	5.5	100	0.002	0.002	N/A
Background	010	South end at loadout	10:55	13:56	181	8	8	8	1448	3	100	0.002	<LOD	N/A

# ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/22/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (1898 West Phase 1 Sorting)(Power Plant)	<b>Sample Date</b>	05/23/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 1A	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	North end	07:51	10:55	184	8	8	8	1472	4	100	0.002	<LOD	N/A
Background	004	Northeast area	07:52	10:56	184	8	8	8	1472	5.5	100	0.002	0.002	N/A
Background	005	Center viewport area	07:53	10:57	184	8	8	8	1472	3.5	100	0.002	<LOD	N/A
Background	006	South end	07:55	10:59	184	8	8	8	1472	4.5	100	0.002	<LOD	N/A
Background	007	North end	10:55	13:55	180	8	8	8	1440	6	100	0.002	0.002	N/A
Background	008	Northeast area	10:56	13:56	180	8	8	8	1440	3	100	0.002	<LOD	N/A
Background	009	Center viewport area	10:57	13:57	180	8	8	8	1440	5	100	0.002	0.002	N/A
Background	010	South end	10:59	14:00	181	8	8	8	1448	4.5	100	0.002	0.002	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/23/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (1898 West Phase 1 Sorting)(Power Plant)	<b>Sample Date</b>	05/24/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 1A	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	North end	07:54	10:58	184	8	8	8	1472	3	100	0.002	<LOD	N/A
Background	004	Northeast area	07:55	10:59	184	8	8	8	1472	5	100	0.002	0.002	N/A
Background	005	Center viewport	07:56	11:00	184	8	8	8	1472	6	100	0.002	0.002	N/A
Background	006	South end	07:59	11:02	183	8	8	8	1464	2.5	100	0.002	<LOD	N/A
Background	007	North end	10:58	13:58	180	8	8	8	1440	4	100	0.002	<LOD	N/A
Background	008	Northeast	10:59	13:59	180	8	8	8	1440	3.5	100	0.002	<LOD	N/A
Background	009	Center viewport	11:00	14:00	180	8	8	8	1440	4	100	0.002	<LOD	N/A
Background	010	South end	11:02	14:03	181	8	8	8	1448	3	100	0.002	<LOD	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/24/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (1898 West Phase 1 Sorting)(Power Plant)	<b>Sample Date</b>	05/25/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 1A	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM


Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	North end of 1898 west at north viewport	07:51	10:39	168	8	8	8	1344	2	100	0.002	<LOD	N/A
Area	004	Northeast area	07:52	10:40	168	8	8	8	1344	7	100	0.002	0.003	N/A
Area	005	Center viewport	07:53	10:40	167	8	8	8	1336	3	100	0.002	<LOD	N/A
Area	006	South end area	07:55	10:42	167	8	8	8	1336	4	100	0.002	<LOD	N/A
Area	007	North end of 1898 west at north viewport	10:39	13:39	180	8	8	8	1440	2	100	0.002	<LOD	N/A
Area	008	Northeast area	10:40	13:46	186	8	8	8	1488	4	100	0.002	<LOD	N/A
Area	009	Center viewport area	10:40	13:41	181	8	8	8	1448	2.5	100	0.002	<LOD	N/A
Area	010	South end	10:42	13:44	182	8	8	8	1456	1.5	100	0.002	<LOD	N/A



## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/25/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (1898 West Phase 1 Sorting)(Power Plant)	<b>Sample Date</b>	05/26/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 1A	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	North end of 1898 west at north viewport	07:06	09:12	126	10	10	10	1260	2	100	0.002	<LOD	N/A
Area	004	Northeast area	07:07	09:13	126	10	10	10	1260	3.5	100	0.002	<LOD	N/A
Area	005	Center viewport area	07:08	09:14	126	10	10	10	1260	3	100	0.002	<LOD	N/A
Area	006	South end	07:10	09:16	126	10	10	10	1260	1.5	100	0.002	<LOD	N/A
Area	007	North end of 1898 west at north viewport	09:12	10:52	100	12	12	12	1200	1.5	100	0.002	<LOD	N/A
Area	008	Northeast area	09:13	10:53	100	12	12	12	1200	2.5	100	0.002	<LOD	N/A
Area	009	Center viewport area	09:14	10:54	100	12	12	12	1200	3	100	0.002	<LOD	N/A
Area	010	South end	09:16	10:56	100	12	12	12	1200	2	100	0.002	<LOD	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/26/2023
<b>Analyst Signature</b>			


<b>Project Name</b>	776 Summer Street (Regulated Area 1) Power Plant	<b>Sample Date</b>	05/22/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	07:39	10:26	167	8	8	8	1336	5.5	100	0.002	0.002	N/A
Background	004	A1 Center area of regulated area at summer Street sidewalk	07:40	10:27	167	8	8	8	1336	4.5	100	0.002	0.002	N/A
Background	005	A1 north area, end of regulated area at summer Street sidewalk	07:41	10:28	167	8	8	8	1336	7	100	0.002	0.003	N/A
Background	006	A1 adjacent gate B at summer Street sidewalk	07:42	10:29	167	8	8	8	1336	6	100	0.002	0.002	N/A
Background	007	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	11:04	13:49	165	8	8	8	1320	7	100	0.002	0.003	N/A
Background	008	A1 Center area of regulated area at summer Street sidewalk	11:05	13:50	165	8	8	8	1320	4	100	0.002	<LOD	N/A

# ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	009	A1 north area, end of regulated area at summer Street sidewalk	11:06	13:51	165	8	8	8	1320	6	100	0.002	0.002	N/A
Background	010	A1 adjacent gate B at summer Street sidewalk	11:03	13:48	165	8	8	8	1320	5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

**Analysis Information**

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/22/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (Regulated Area 1) Power Plant	<b>Sample Date</b>	05/23/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	07:35	10:19	164	8	8	8	1312	4.5	100	0.002	0.002	N/A
Background	004	A1 Center area of regulated area at summer Street sidewalk	07:36	10:20	164	8	8	8	1312	6.5	100	0.002	0.002	N/A
Background	005	A1 north area, end of regulated area at summer Street sidewalk	07:38	10:21	163	8	8	8	1304	5.5	100	0.002	0.002	N/A
Background	006	A1 adjacent gate B at summer Street sidewalk	07:39	10:22	163	8	8	8	1304	4	100	0.002	0.002	N/A
Background	007	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	10:57	13:47	170	8	8	8	1360	4	100	0.002	<LOD	N/A
Background	008	A1 Center area of regulated area at summer Street sidewalk	10:58	13:48	170	8	8	8	1360	6.5	100	0.002	0.002	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	009	A1 north area, end of regulated area at summer Street sidewalk	10:59	13:49	170	8	8	8	1360	6	100	0.002	0.002	N/A
Background	010	A1 adjacent gate B at summer Street sidewalk	11:00	13:50	170	8	8	8	1360	5.5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/23/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (Regulated Area 1) Power Plant	<b>Sample Date</b>	05/24/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts	<b>Sampling Type</b>	PCM


Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	08:04	10:51	167	8	8	8	1336	11	100	0.002	0.004	N/A
Background	004	A1 Center area of regulated area at summer Street sidewalk	08:05	10:52	167	8	8	8	1336	9.5	100	0.002	0.003	N/A
Background	005	A1 north area, end of regulated area at summer Street sidewalk	08:06	10:53	167	8	8	8	1336	12.5	100	0.002	0.005	N/A
Background	006	A1 adjacent gate B at summer Street sidewalk	08:07	10:54	167	8	8	8	1336	6.5	100	0.002	0.002	N/A
Background	007	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	10:51	13:49	178	8	8	8	1424	6	100	0.002	0.002	N/A
Background	008	A1 Center area of regulated area at summer Street sidewalk	10:52	13:50	178	8	8	8	1424	7	100	0.002	0.002	N/A



## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	009	A1 north area, end of regulated area at summer Street sidewalk	10:53	13:51	178	8	8	8	1424	6.5	100	0.002	0.002	N/A
Background	010	A4 north area at generator	10:54	13:52	178	8	8	8	1424	6	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/24/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (Regulated Area 1) Power Plant	<b>Sample Date</b>	05/25/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	07:30	10:21	171	8	8	8	1368	4	100	0.002	<LOD	N/A
Background	004	A1 Center area of regulated area at summer Street sidewalk	07:31	10:22	171	8	8	8	1368	6.5	100	0.002	0.002	N/A
Area	005	A1 north area, end of regulated area at summer Street sidewalk	07:32	10:23	171	8	8	8	1368	4.5	100	0.002	0.002	N/A
Area	006	A1 adjacent gate B at summer Street sidewalk	07:33	10:24	171	8	8	8	1368	5	100	0.002	0.002	N/A
Area	007	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	11:00	13:52	172	8	8	8	1376	6	100	0.002	0.002	N/A
Area	008	A1 Center area of regulated area at summer Street sidewalk	11:01	13:53	172	8	8	8	1376	5.5	100	0.002	0.002	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	009	A1 north area, end of regulated area at summer Street sidewalk	11:02	13:54	172	8	8	8	1376	7	100	0.002	0.002	N/A
Background	010	A1 adjacent gate B at summer Street sidewalk	11:03	13:55	172	8	8	8	1376	4	100	0.002	<LOD	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/25/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (Regulated Area 1) Power Plant	<b>Sample Date</b>	05/26/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	07:45	09:45	120	10	10	10	1200	5	100	0.002	0.002	N/A
Area	004	A1 Center area of regulated area at summer Street sidewalk	07:46	09:46	120	10	10	10	1200	7	100	0.002	0.003	N/A
Area	005	A1 north area, end of regulated area at summer Street sidewalk	07:47	09:47	120	10	10	10	1200	4.5	100	0.002	0.002	N/A
Area	006	A1 adjacent gate B at summer Street sidewalk	07:48	09:48	120	10	10	10	1200	5.5	100	0.002	0.002	N/A
Area	007	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	09:45	11:45	120	10	10	10	1200	7.5	100	0.002	0.003	N/A
Area	008	A1 Center area of regulated area at summer Street sidewalk	09:46	11:46	120	10	10	10	1200	6	100	0.002	0.002	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	009	A1 north area, end of regulated area at summer Street sidewalk	09:47	11:47	120	10	10	10	1200	5.5	100	0.002	0.002	N/A
Area	010	A1 adjacent gate B at summer Street sidewalk	09:48	11:48	120	10	10	10	1200	4.5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information


<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/26/2023
<b>Analyst Signature</b>			

# ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (Regulated Area 3)(Power Plant)	<b>Sample Date</b>	05/22/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A3 decon	08:10	11:09	179	8	8	8	1432	4	100	0.002	<LOD	N/A
Background	004	A3 north	08:11	11:10	179	8	8	8	1432	6	100	0.002	0.002	N/A
Background	005	A3 center	08:13	11:12	179	8	8	8	1432	8.5	100	0.002	0.003	N/A
Background	006	A3 south	08:14	11:13	179	8	8	8	1432	10.5	100	0.002	0.004	N/A
Background	007	A3 decon	11:09	14:10	181	8	8	8	1448	4	100	0.002	<LOD	N/A
Background	008	A3 north	11:10	14:11	181	8	8	8	1448	3	100	0.002	<LOD	N/A
Background	009	A3 center	11:12	14:12	180	8	8	8	1440	6	100	0.002	0.002	N/A
Background	010	A3 south	11:13	14:14	181	8	8	8	1448	5.5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A


### Analysis Information

<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/22/2023
<b>Analyst Signature</b>			

<b>Project Name</b>	776 Summer Street (Regulated Area 3)(Power Plant)	<b>Sample Date</b>	05/23/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A3 decon	08:11	11:07	176	8	8	8	1408	4	100	0.002	<LOD	N/A
Background	004	A3 north	08:12	11:08	176	8	8	8	1408	3	100	0.002	<LOD	N/A
Background	005	A3 center	08:14	11:10	176	8	8	8	1408	6	100	0.002	0.002	N/A
Background	006	A3 south	08:15	11:11	176	8	8	8	1408	8.5	100	0.002	0.003	N/A
Background	007	A3 decon	11:07	14:10	183	8	8	8	1464	4.5	100	0.002	0.002	N/A
Background	008	A3 north	11:08	14:11	183	8	8	8	1464	6	100	0.002	0.002	N/A
Background	009	A3 center	11:10	14:13	183	8	8	8	1464	4	100	0.002	<LOD	N/A
Background	010	A3 south	11:11	14:14	183	8	8	8	1464	6.5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

**Analysis Information**


<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/23/2023
<b>Analyst Signature</b>			

# ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (Regulated Area 3)(Power Plant)	<b>Sample Date</b>	05/24/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	A3 decon	08:11	11:15	184	8	8	8	1472	6	100	0.002	0.002	N/A
Area	004	A3 north	08:12	11:16	184	8	8	8	1472	4.5	100	0.002	<LOD	N/A
Area	005	A3 center	08:14	11:18	184	8	8	8	1472	3	100	0.002	<LOD	N/A
Area	006	A3 south	08:15	11:19	184	8	8	8	1472	10	100	0.002	0.003	N/A
Area	007	A3 decon	11:15	14:11	176	8	8	8	1408	4	100	0.002	<LOD	N/A
Area	008	A3 north	11:16	14:12	176	8	8	8	1408	3.5	100	0.002	<LOD	N/A
Area	009	A3 center	11:18	14:14	176	8	8	8	1408	4	100	0.002	<LOD	N/A
Area	010	A3 south	11:19	14:15	176	8	8	8	1408	8	100	0.002	0.003	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/24/2023
<b>Analyst Signature</b>			



## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (Regulated Area 3)(Power Plant)	<b>Sample Date</b>	05/25/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Jeremy Faulkner
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	A3 decon	08:05	10:55	170	8	8	8	1360	3	100	0.002	<LOD	N/A
Area	004	A3 north	08:06	10:56	170	8	8	8	1360	6	100	0.002	0.002	N/A
Area	005	A3 center	08:07	10:57	170	8	8	8	1360	8.5	100	0.002	0.003	N/A
Area	006	A3 south	08:08	10:58	170	8	8	8	1360	13	100	0.002	0.005	N/A
Area	007	A3 decon	10:55	13:49	174	8	8	8	1392	4	100	0.002	<LOD	N/A
Area	008	A3 north	10:56	13:50	174	8	8	8	1392	5.5	100	0.002	0.002	N/A
Area	00	A3 center	10:57	13:51	174	8	8	8	1392	7	100	0.002	0.002	N/A
Area	00	A3 south	10:58	13:52	174	8	8	8	1392	9.5	100	0.002	0.003	N/A

# ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

## Analysis Information

<b>Analyst</b>	Jeremy Faulkner	<b>Analysis Date</b>	05/25/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (Regulated Area 3)(Power Plant)	<b>Sample Date</b>	05/26/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Jeremy Faulkner
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A3 decon	07:31	09:40	129	10	10	10	1290	3	100	0.002	<LOD	N/A
Background	004	A3 north	07:32	09:41	129	10	10	10	1290	4	100	0.002	0.002	N/A
Background	005	A3 center	07:33	09:42	129	10	10	10	1290	5.5	100	0.002	0.002	N/A
Background	006	A3 south	07:34	09:43	129	10	10	10	1290	9	100	0.002	0.003	N/A
Background	007	A3 decon	09:40	11:45	125	10	10	10	1250	2	100	0.002	<LOD	N/A
Background	008	A3 north	09:41	11:46	125	10	10	10	1250	3.5	100	0.002	<LOD	N/A
Background	009	A3 center	09:42	11:47	125	10	10	10	1250	5	100	0.002	0.002	N/A
Background	010	A3 south	09:43	11:48	125	10	10	10	1250	7	100	0.002	0.003	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information


<b>Analyst</b>	Jeremy Faulkner	<b>Analysis Date</b>	05/26/2023
<b>Analyst Signature</b>			

# ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (Panels)(Power Plant)	<b>Sample Date</b>	05/30/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 4 Area 4 (CMU Tunnel Building 3)	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	South area at critical barrier	07:40	10:19	159	8	8	8	1272	7	100	0.002	0.003	N/A
Area	004	North area at loadout	07:41	10:20	159	8	8	8	1272	10.5	100	0.002	0.004	N/A
Area	005	East area at decon	07:42	10:21	159	8	8	8	1272	6	100	0.002	0.002	N/A
Area	006	South area at critical barrier	11:13	13:53	160	8	8	8	1280	10	100	0.002	0.004	N/A
Area	007	North area at loadout	11:14	13:54	160	8	8	8	1280	7.5	100	0.002	0.003	N/A
Area	008	East area at decon	11:15	13:55	160	8	8	8	1280	9.5	100	0.002	0.004	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A


### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/30/2023
<b>Analyst Signature</b>			

<b>Project Name</b>	776 Summer Street (Panels)(Power Plant)	<b>Sample Date</b>	05/31/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 4 Area 4 (CMU Tunnel Building 3)	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	East area at decon	07:38	10:20	162	8	8	8	1296	7.5	100	0.002	0.003	N/A
Area	004	North area at loadout	07:39	10:21	162	8	8	8	1296	12.5	100	0.002	0.005	N/A
Area	005	South area at critical barrier	07:40	10:22	162	8	8	8	1296	6.5	100	0.002	0.002	N/A
Area	006	East area at decon	11:08	13:49	161	8	8	8	1288	8	100	0.002	0.003	N/A
Area	007	North area at loadout	11:09	13:50	161	8	8	8	1288	11	100	0.002	0.004	N/A
Area	008	South area at critical barrier	11:10	13:51	161	8	8	8	1288	6.5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/31/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (Regulated Area 1)(Power Plant)	<b>Sample Date</b>	05/30/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	07:45	10:24	159	8	8	8	1272	4	100	0.002	0.002	N/A
Area	004	A1 Center area of regulated area at summer Street sidewalk	07:46	10:25	159	8	8	8	1272	9	100	0.002	0.003	N/A
Area	005	A1 north area, end of regulated area at summer Street sidewalk	07:47	10:26	159	8	8	8	1272	9.5	100	0.002	0.004	N/A
Area	006	A1 adjacent gate B at summer Street sidewalk	07:48	10:27	159	8	8	8	1272	6.5	100	0.002	0.003	N/A
Area	007	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	11:17	13:57	160	8	8	8	1280	5	100	0.002	0.002	N/A
Area	008	A1 Center area of regulated area at summer Street sidewalk	11:18	13:58	160	8	8	8	1280	7	100	0.002	0.003	N/A

# ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	009	A1 north area, end of regulated area at summer Street sidewalk	11:19	13:59	160	8	8	8	1280	6.5	100	0.002	0.002	N/A
Area	010	A1 adjacent gate B at summer Street sidewalk	11:20	14:00	160	8	8	8	1280	4.5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

**Analysis Information**

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/30/2023
<b>Analyst Signature</b>			



## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (Regulated Area 1)(Power Plant)	<b>Sample Date</b>	05/31/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	David Adams
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Massachusetts	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	07:42	10:23	161	8	8	8	1288	6.5	100	0.002	0.002	N/A
Area	004	A1 Center area of regulated area at summer Street sidewalk	07:43	10:24	161	8	8	8	1288	7.5	100	0.002	0.003	N/A
Area	005	A1 north area, end of regulated area at summer Street sidewalk	07:44	10:25	161	8	8	8	1288	5	100	0.002	0.002	N/A
Area	006	A1 adjacent gate B at summer Street sidewalk	07:45	10:26	161	8	8	8	1288	4.5	100	0.002	0.002	N/A
Area	007	A1 South area, along summer Street sidewalk adjacent building 3 remaining structure	11:12	13:53	161	8	8	8	1288	6	100	0.002	0.002	N/A
Area	008	A1 Center area of regulated area at summer Street sidewalk	11:13	13:54	161	8	8	8	1288	8	100	0.002	0.003	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	009	A1 north area, end of regulated area at summer Street sidewalk	11:14	13:55	161	8	8	8	1288	5.5	100	0.002	0.002	N/A
Area	010	A1 adjacent gate B at summer Street sidewalk	11:15	13:56	161	8	8	8	1288	5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A


### Analysis Information

<b>Analyst</b>	David Adams	<b>Analysis Date</b>	05/31/2023
<b>Analyst Signature</b>			

<b>Project Name</b>	776 Summer Street (1898 West Phase 1 Sorting)(Power Plant)	<b>Sample Date</b>	05/30/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 1A	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Clearance	003	Left side of containment	09:20	10:38	78	15.5	15.5	15.5	1209	6	100	0.002	0.002	N/A
Clearance	004	Right side	09:21	10:39	78	15.5	15.5	15.5	1209	7.5	100	0.002	0.003	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A


**Analysis Information**

<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/30/2023
<b>Analyst Signature</b>			

<b>Project Name</b>	776 Summer Street (Regulated Area 3)(Power Plant)	<b>Sample Date</b>	05/30/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Jeremy Faulkner
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A3 by decon	08:06	11:11	185	8	8	8	1480	3	100	0.002	<LOD	N/A
Background	004	A3 north	08:07	11:12	185	8	8	8	1480	4.5	100	0.002	<LOD	N/A
Background	005	A3 center	08:08	11:13	185	8	8	8	1480	6	100	0.002	0.002	N/A
Background	006	A3 south	08:09	11:14	185	8	8	8	1480	8	100	0.002	0.003	N/A
Background	007	A3 by decon	11:11	14:03	172	8	8	8	1376	5	100	0.002	0.002	N/A
Background	008	A3 north	11:12	14:04	172	8	8	8	1376	2.5	100	0.002	<LOD	N/A
Background	009	A3 center	11:13	14:05	172	8	8	8	1376	3	100	0.002	<LOD	N/A
Background	010	A3 south	11:14	14:06	172	8	8	8	1376	5.5	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

**Analysis Information**

<b>Analyst</b>	Jeremy Faulkner	<b>Analysis Date</b>	05/30/2023
<b>Analyst Signature</b>			


<b>Project Name</b>	776 Summer Street (Regulated Area 3)(Power Plant)	<b>Sample Date</b>	05/31/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Jeremy Faulkner
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 3 North Yard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	A3 by decon	08:06	11:00	174	8	8	8	1392	5	100	0.002	0.002	N/A
Area	004	A3 north	08:07	11:01	174	8	8	8	1392	6	100	0.002	0.002	N/A
Area	005	A3 center	08:08	11:02	174	8	8	8	1392	8	100	0.002	0.003	N/A
Area	006	A3 south	08:09	11:03	174	8	8	8	1392				N/A	Overloaded by smoke from torch cutting south of area
Area	007	A3 by decon	11:00	13:54	174	8	8	8	1392	3	100	0.002	<LOD	N/A
Area	008	A3 north	11:01	13:55	174	8	8	8	1392	4.5	100	0.002	0.002	N/A
Area	009	A3 center	11:02	13:56	174	8	8	8	1392	4	100	0.002	<LOD	N/A
Area	010	A3 south	11:03	13:57	174	8	8	8	1392	6.5	100	0.002	0.002	N/A

# ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	Jeremy Faulkner	<b>Analysis Date</b>	05/31/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (Regulated Area 4) Power Plant	<b>Sample Date</b>	05/30/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Jeremy Faulkner
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 4 Courtyard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A4 south area of regulated area	07:56	11:01	185	8	8	8	1480	9	100	0.002	0.003	N/A
Background	004	A4 center-south by fence	07:57	11:02	185	8	8	8	1480	11	100	0.002	0.004	N/A
Background	005	A4 center-north area at fence	07:58	11:03	185	8	8	8	1480	6.5	100	0.002	0.002	N/A
Background	006	A4 north by generator	07:59	11:04	185	8	8	8	1480	5	100	0.002	0.002	N/A
Background	007	A4 south area of regulated area	11:01	13:51	170	8	8	8	1360	10.5	100	0.002	0.004	N/A
Background	008	A4 center-north area by fence	11:02	13:52	170	8	8	8	1360	7	100	0.002	0.003	N/A
Background	009	A4 center-south area by fence	11:03	13:53	170	8	8	8	1360	3	100	0.002	<LOD	N/A
Background	010	A4 by generator	11:04	13:54	170	8	8	8	1360	4	100	0.002	<LOD	N/A

# ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	Jeremy Faulkner	<b>Analysis Date</b>	05/30/2023
<b>Analyst Signature</b>			



## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (Regulated Area 4) Power Plant	<b>Sample Date</b>	05/31/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Jeremy Faulkner
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 4 Courtyard	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA 02127 US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	A4 south pf regulated area	07:56	10:51	175	8	8	8	1400	8	100	0.002	0.003	N/A
Background	004	A4 center-south area by fence	07:57	10:52	175	8	8	8	1400	6.5	100	0.002	0.002	N/A
Background	005	A4 center-north area by fence	07:58	10:53	175	8	8	8	1400	5	100	0.002	0.002	N/A
Background	006	A4 north area by generator	07:59	10:54	175	8	8	8	1400	3	100	0.002	<LOD	N/A
Background	007	A4 south area of regulated area	10:51	13:46	175	8	8	8	1400	5	100	0.002	0.002	N/A
Background	008	A4 center-south area by fence	10:52	13:47	175	8	8	8	1400	3.5	100	0.002	<LOD	N/A
Background	009	A4 center-north area by fence	10:53	13:48	175	8	8	8	1400	4	100	0.002	<LOD	N/A
Background	010	A4 north area by generator	10:54	13:49	175	8	8	8	1400	7	100	0.002	0.002	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	Jeremy Faulkner	<b>Analysis Date</b>	05/31/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS


<b>Project Name</b>	776 Summer Street (1898 West Phase 2)(Electrical Lockers)(Power Plant)	<b>Sample Date</b>	05/30/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 1A	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	North end	07:30	11:26	236	8	8	8	1888	6	100	0.001	0.002	N/A
Background	004	Northeast area	07:31	11:27	236	8	8	8	1888	4.5	100	0.001	0.001	N/A
Background	005	Center viewport area	07:32	11:28	236	8	8	8	1888	7	100	0.001	0.002	N/A
Background	006	South end	07:35	11:30	235	8	8	8	1880	3.5	100	0.001	0.001	N/A
Background	007	North end	11:26	14:26	180	8	8	8	1440	6	100	0.002	0.002	N/A
Background	008	Northeast area	11:27	14:27	180	8	8	8	1440	7.5	100	0.002	0.003	N/A
Background	009	Center viewport area	11:28	14:28	180	8	8	8	1440	4	100	0.002	<LOD	N/A
Background	010	South end	11:30	14:31	181	8	8	8	1448	5	100	0.002	0.002	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/30/2023
<b>Analyst Signature</b>			

## ASBESTOS AIR SAMPLE RESULTS

<b>Project Name</b>	776 Summer Street (1898 West Phase 2)(Electrical Lockers)(Power Plant)	<b>Sample Date</b>	05/31/2023
<b>TRC Project #</b>	474824	<b>Sampling Technician</b>	Dante Sacchitella
<b>Client</b>	HRP 776 Summer Street PropCo LLC	<b>Laboratory</b>	TRC
<b>Facility Name</b>	Building 1A	<b>Sample/Analysis Method</b>	NIOSH 7400
<b>Facility Location</b>	776 Summer Street, Boston, Suffolk County, MA US	<b>Sampling Type</b>	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	North end	07:45	11:00	195	8	8	8	1560	4	100	0.002	<LOD	N/A
Background	004	Northeast area	07:46	11:01	195	8	8	8	1560	3	100	0.002	<LOD	N/A
Background	005	Center viewport	07:47	11:02	195	8	8	8	1560	1.5	100	0.002	<LOD	N/A
Background	006	South end	07:49	11:04	195	8	8	8	1560	2.5	100	0.002	<LOD	N/A
Background	007	North end	11:00	14:06	186	8	8	8	1488	5	100	0.002	0.002	N/A
Background	008	Northeast area	11:01	14:07	186	8	8	8	1488	6.5	100	0.002	0.002	N/A
Background	009	Center viewport	11:02	14:08	186	8	8	8	1488	4.5	100	0.002	<LOD	N/A
Background	010	South end	11:04	14:10	186	8	8	8	1488	5	100	0.002	0.002	N/A

## ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

### Analysis Information

<b>Analyst</b>	Dante Sacchitella	<b>Analysis Date</b>	05/31/2023
<b>Analyst Signature</b>	