



2 Liberty Sq., 6th Floor
Boston, MA 02109

T 617.350.3444
TRCcompanies.com

Asbestos Abatement Air Sampling Report

L Street Station Project
Boston, Massachusetts

Prepared for HRP 776 Summer Street, LLC
May 2024

ASBESTOS ABATEMENT AIR SAMPLING REPORT

L STREET STATION PROJECT

May2024

1.0 INTRODUCTION

TRC Environmental, Inc. (TRC) has prepared this Air Sampling Report on behalf of HRP 776 Summer Street, LLC (the Client) for the deconstruction phase of the L Street Station project at 776 Summer Street in Boston, Massachusetts (the Site).

The air sampling is as described and in accordance with the requirements of the Non-Traditional Work Plan (NTWP) in place for the project, as approved by MassDEP (NTWP Approval NNT-220007). Pursuant to the NTWP, on a daily basis, TRC provides air sampling during asbestos abatement around the perimeter of the asbestos removal work areas, and as required for final air clearance at the completion of asbestos removal in contained work areas. Sample results are emailed to MassDEP at the end of the shift.

The air samples are analyzed by TRC's Asbestos Project Monitor after collection, typically twice per shift, in accordance with the Phase Contrast Microscopy (PCM) method. The results for each sample are then recorded in fibers per cubic centimeter of air (f/cc) on the air sampling data sheet. These air sample results and data sheets are attached to this report.



This report provides the air sampling results collected at the Site from the beginning of the abatement monitoring on May, 1, through 31, 2024. Pursuant to the NTWP approved by DEP, the air sampling action level is < 0.010 f/cc. All air sample collected at the containment perimeter barriers, by TRC in connection with this work have been less than 0.010 f/cc throughout this time period.

2.0 DESCRIPTION OF SITE CONDITIONS

The Site previously operated as an electrical power plant. With the exception of one building, referred to as the Administration Office Building, the Site is vacant.

The Site is located in an urban area of South Boston and is bounded on all sides by roads.

3.0 AIR SAMPLING ACTION LEVELS

The action level required for this project for PCM air samples during abatement, as established in the NTWP, is less than 0.010 f/cc. If this level is reached or exceeded, asbestos abatement work is stopped, the MassDEP notified, and appropriate corrective measures taken. The level of 0.010 f/cc is also used for air clearance following abatement, to “clear” space for use prior to disassembling containment. On occasion, typically for “clearing” a large work area where PCM air sampling may be impractical, the Transmission Electron Microscopy (TEM) method will be used, which has a clearance level of an average of less than 70 structures per square millimeter (s/mm). TEM results, if any, associated with clearing work areas will be included in this report.

4.0 AIR SAMPLING

Pursuant to the approved NTWP, all area air samples are collected using the same basic techniques. The air sampling pumps are calibrated using a primary or secondary standard. The sample cassette is set between 4 to 5 feet above the floor/ground and angled downward at a 45-degree angle. Samples are collected “open faced,” meaning that the cap at the inlet end of the extension has been removed so the entire surface of the



filter is exposed to the air. Samples are typically collected over a 2-to-3-hour period. Pumps are post-calibrated and the before and after flow rates are averaged. Chain-Of-Custody forms are completed, and the samples are analyzed.

Air samples are usually grouped together for each work area, as per the NTWP. Some results are recorded as <LOD, meaning that the result for that sample is below the limit of detection for the method (typically less than 0.002 f/cc, which is well below the action level).

5.0 CORRECTIVE MEASURES

No corrective measures were required May1, through May 31, 2024, because all air sample results were below the action level.

ATTACHMENTS

Air sample results


ASBESTOS AIR SAMPLE RESULTS

Project Name		776 Summer Street (Background Samples)						Sample Date		05/01/2024				
TRC Project #		474824						Sampling Technician		Mark Ewas				
Client		HRP 776 Summer Street PropCo LLC						Laboratory		TRC				
Facility Name		Edison Power Plant						Sample/Analysis Method		NIOSH 7400				
Facility Location		776 Summer Street, Boston, MA						Sampling Type		PCM				
Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	03	Corner of East 1st and summer st	07:48	11:07	199	8	8	8	1592	1	100	0.002	<LOD	N/A
Background	04	By dust sentry along summer st	07:56	11:14	198	8	8	8	1584	0	100	0.002	<LOD	N/A
Background	05	Building 4 roof by generator	08:08	11:23	195	8	8	8	1560	2	100	0.002	<LOD	N/A
Background	06	Corner of East 1st and summer st	11:07	13:54	167	8	8	8	1336	0	100	0.002	<LOD	N/A
Background	07	By dust sentry along summer st	11:14	14:03	169	8	8	8	1352	0	100	0.002	<LOD	N/A
Background	08	Building 4 roof by generator	11:23	14:14	171	8	8	8	1368	0	100	0.002	<LOD	N/A

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	01	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	02	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	Mark Ewas	Analysis Date	05/01/2024
Analyst Signature			


ASBESTOS AIR SAMPLE RESULTS

Project Name		776 Summer Street (Background Samples)						Sample Date		05/02/2024				
TRC Project #		474824						Sampling Technician		Mark Ewas				
Client		HRP 776 Summer Street PropCo LLC						Laboratory		TRC				
Facility Name		Edison Power Plant						Sample/Analysis Method		NIOSH 7400				
Facility Location		776 Summer Street, Boston, MA						Sampling Type		PCM				
Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	03	Corner of East 1st and summer st	07:33	11:15	222	8	8	8	1776	0	100	0.002	<LOD	N/A
Background	04	By dust sentry on East 1st st	07:41	11:23	222	8	8	8	1776	0	100	0.002	<LOD	N/A
Background	05	On top of building 4 by generator	07:52	11:37	225	8	8	8	1800	0	100	0.001	<LOD	N/A
Background	06	Corner of East 1st and summer st	11:15	14:37	202	8	8	8	1616	0	100	0.002	<LOD	N/A
Background	07	By dust sentry on East 1st st	11:23	14:44	201	8	8	8	1608	0	100	0.002	<LOD	N/A
Background	08	On top of building 4 by generator	11:37	14:58	201	8	8	8	1608	1	100	0.002	<LOD	N/A

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	01	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	02	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	Mark Ewas	Analysis Date	05/02/2024
Analyst Signature			


ASBESTOS AIR SAMPLE RESULTS

Project Name		776 Summer Street (Background Samples)						Sample Date		05/03/2024				
TRC Project #		474824						Sampling Technician		Mark Ewas				
Client		HRP 776 Summer Street PropCo LLC						Laboratory		TRC				
Facility Name		Edison Power Plant						Sample/Analysis Method		NIOSH 7400				
Facility Location		776 Summer Street, Boston, MA						Sampling Type		PCM				
Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	03	Corner of summer st and east 1st	07:17	11:09	232	8	8	8	1856	0	100	0.001	<LOD	N/A
Background	04	By dust sentry on summer st	07:24	11:19	235	8	8	8	1880	0	100	0.001	<LOD	N/A
Background	05	On building 4 by generator	07:37	11:32	235	8	8	8	1880	0	100	0.001	<LOD	N/A
Background	06	Corner of summer st and east 1st	11:09	14:49	220	8	8	8	1760	0	100	0.002	<LOD	N/A
Background	07	By dust sentry on summer st	11:19	14:57	218	8	8	8	1744	0	100	0.002	<LOD	N/A
Background	08	On building 4 by generator	11:32	15:10	218	8	8	8	1744	1	100	0.002	<LOD	N/A

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	01	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	02	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information


Analyst	Mark Ewas	Analysis Date	05/03/2024
Analyst Signature			

ASBESTOS AIR SAMPLE RESULTS

Project Name	776 Summer Street (1898 Basement)	Sample Date	05/01/2024
TRC Project #	474824	Sampling Technician	Mark Ewas
Client	HRP 776 Summer Street PropCo LLC	Laboratory	TRC
Facility Name	Edison Power Plant	Sample/Analysis Method	NIOSH 7400
Facility Location	776 Summer Street, Boston, MA	Sampling Type	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	03	Outside decon entrance	07:22	10:54	212	8	8	8	1696	3	100	0.002	<LOD	N/A
Background	04	By hepa exhaust on NW corner of containment	07:25	10:57	212	8	8	8	1696	2.5	100	0.002	<LOD	N/A
Background	05	Outside decon entrance	10:54	14:23	209	8	8	8	1672	0	100	0.002	<LOD	N/A
Background	06	By hepa exhaust on the NW corner of containment	10:57	14:26	209	8	8	8	1672	1	100	0.002	<LOD	N/A
Field Blank	01	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	02	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information


Analyst	Mark Ewas	Analysis Date	05/01/2024
Analyst Signature			

ASBESTOS AIR SAMPLE RESULTS

Project Name	776 Summer Street (1898 Basement)	Sample Date	05/02/2024
TRC Project #	474824	Sampling Technician	Mark Ewas
Client	HRP 776 Summer Street PropCo LLC	Laboratory	TRC
Facility Name	Edison Power Plant	Sample/Analysis Method	NIOSH 7400
Facility Location	776 Summer Street, Boston, MA	Sampling Type	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	03	Outside decon entrance	07:14	11:02	228	8	8	8	1824	1	100	0.001	<LOD	N/A
Background	04	By HEPA exhaust, NW corner of containment	07:17	11:05	228	8	8	8	1824	2	100	0.001	0.001	N/A
Background	05	Outside decon entrance	11:02	14:20	198	8	8	8	1584	3	100	0.002	<LOD	N/A
Background	06	By HEPA exhaust, NW corner of containment	11:05	14:23	198	8	8	8	1584	2	100	0.002	<LOD	N/A
Field Blank	01	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	02	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information


Analyst	Mark Ewas	Analysis Date	05/02/2024
Analyst Signature			

ASBESTOS AIR SAMPLE RESULTS

Project Name	776 Summer Street (1898 Basement)	Sample Date	05/03/2024
TRC Project #	474824	Sampling Technician	Mark Ewas
Client	HRP 776 Summer Street PropCo LLC	Laboratory	TRC
Facility Name	Edison Power Plant	Sample/Analysis Method	NIOSH 7400
Facility Location	776 Summer Street, Boston, MA	Sampling Type	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	03	Outside decon entrance	07:06	10:57	231	8	8	8	1848	0	100	0.001	<LOD	N/A
Background	04	NW corner of containment by hepa exhaust	07:09	11:00	231	8	8	8	1848	0	100	0.001	<LOD	N/A
Background	05	Outside decon entrance	10:57	14:18	201	8	8	8	1608	2	100	0.002	<LOD	N/A
Background	06	NW corner of containment by hepa exhaust	11:00	14:21	201	8	8	8	1608	0	100	0.002	<LOD	N/A
Field Blank	01	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	02	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	Mark Ewas	Analysis Date	05/03/2024
Analyst Signature			

ASBESTOS AIR SAMPLE RESULTS


Project Name	776 Summer Street (1898 Basement)	Sample Date	05/06/2024
TRC Project #	474824	Sampling Technician	Jeremy Faulkner
Client	HRP 776 Summer Street PropCo LLC	Laboratory	TRC
Facility Name	South Boston Power Plant	Sample/Analysis Method	NIOSH 7400
Facility Location	776 Summer Street, Boston, Suffolk County, MA 02127 US	Sampling Type	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	Outside decon entrance	07:20	10:02	162	8	8	8	1296	4	100	0.002	0.002	N/A
Area	004	NE corner of containment by hepa exhaust	07:21	10:03	162	8	8	8	1296	2.5	100	0.002	<LOD	N/A
Area	005	Outside decon entrance	10:02	12:10	128	8	8	8	1024	3	100	0.003	<LOD	N/A
Area	006	corner of containment by hepa exhaust	10:03	12:11	128	8	8	8	1024	1	100	0.003	<LOD	N/A
Clearance	007	North end Inside containment	12:20	13:50	90	13.6	13.6	13.6	1224	5.5	100	0.002	0.002	N/A
Clearance	008	South end inside containment	12:21	13:51	90	13.6	13.6	13.6	1224	4	100	0.002	0.002	N/A

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	Jeremy Faulkner	Analysis Date	05/06/2024
Analyst Signature			


ASBESTOS AIR SAMPLE RESULTS

Project Name		776 Summer Street (Background Sampling)(Power Plant)				Sample Date		05/08/2024						
TRC Project #		474824				Sampling Technician		David Adams						
Client		HRP 776 Summer Street PropCo LLC				Laboratory		TRC						
Facility Name		Building 4 & East 1st Street Fence				Sample/Analysis Method		NIOSH 7400						
Facility Location		776 Summer Street, Boston, Massachusetts				Sampling Type		PCM						
Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	Corner of East 1st Street and Summer Street	07:18	10:30	192	8	8	8	1536	0.5	100	0.002	<LOD	N/A
Background	004	East 1st Street at Dust monitor	07:23	10:35	192	9	8	8.5	1632	1	100	0.002	<LOD	N/A
Background	005	Building 4 roof at Generator	07:30	10:42	192	8	8	8	1536	0.5	100	0.002	<LOD	N/A
Background	006	Corner of East 1st Street and Summer Street	10:30	13:44	194	8	8	8	1552	1.5	100	0.002	<LOD	N/A
Background	007	East 1st Street at Dust monitor	10:35	13:44	189	8	8	8	1512	1.5	100	0.002	<LOD	N/A
Background	008	Building 4 roof at Generator	10:42	13:56	194	8	8	8	1552	2	100	0.002	<LOD	N/A

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	David Adams	Analysis Date	05/08/2024
Analyst Signature			


ASBESTOS AIR SAMPLE RESULTS

Project Name		776 Summer Street (Background Sampling)(Power Plant)						Sample Date		05/09/2024					
TRC Project #		474824						Sampling Technician		David Adams					
Client		HRP 776 Summer Street PropCo LLC						Laboratory		TRC					
Facility Name		Building 4 & East 1st Street Fence						Sample/Analysis Method		NIOSH 7400					
Facility Location		776 Summer Street, Boston, Massachusetts						Sampling Type		PCM					
Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes	
Background	003	Corner of East 1st Street and Summer Street	07:15	10:33	198	8	8	8	1584	6	100	0.002	0.002	N/A	
Background	004	East 1st Street at Dust monitor	07:24	10:41	197	8	8	8	1576	4	100	0.002	<LOD	N/A	
Background	005	Building 4 roof at Generator	07:31	10:48	197	8	8	8	1576	7	100	0.002	0.002	N/A	
Background	006	Corner of East 1st Street and Summer Street	10:33	13:42	189	8	8	8	1512	4	100	0.002	<LOD	N/A	
Background	007	East 1st Street at Dust monitor	10:41	13:51	190	8	8	8	1520	6.5	100	0.002	0.002	N/A	
Background	008	Building 4 roof at Generator	10:48	13:58	190	8	8	8	1520	5.5	100	0.002	0.002	N/A	

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	David Adams	Analysis Date	05/09/2024
Analyst Signature			


ASBESTOS AIR SAMPLE RESULTS

Project Name		776 Summer Street (Background Sampling)(Power Plant)						Sample Date		05/10/2024					
TRC Project #		474824						Sampling Technician		David Adams					
Client		HRP 776 Summer Street PropCo LLC						Laboratory		TRC					
Facility Name		Building 4 & East 1st Street Fence						Sample/Analysis Method		NIOSH 7400					
Facility Location		776 Summer Street, Boston, Massachusetts						Sampling Type		PCM					
Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes	
Background	003	Corner of East 1st Street and Summer Street	07:17	10:30	193	8	8	8	1544	3.5	100	0.002	<LOD	N/A	
Background	004	Corner of East 1st Street and Summer Street	07:26	10:39	193	8	8	8	1544	5.5	100	0.002	0.002	N/A	
Background	005	Building 4 roof at Generator	07:33	10:46	193	8	8	8	1544	5.5	100	0.002	0.002	N/A	
Background	006	Corner of East 1st Street and Summer Street	10:30	13:38	188	8	8	8	1504	5	100	0.002	0.002	N/A	
Background	007	East 1st Street at Dust monitor	10:39	13:47	188	8	8	8	1504	7	100	0.002	0.002	N/A	
Background	008	Building 4 roof at Generator	10:46	13:54	188	8	8	8	1504	4	100	0.002	<LOD	N/A	

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	David Adams	Analysis Date	05/10/2024
Analyst Signature			

ASBESTOS AIR SAMPLE RESULTS


Project Name	776 Summer Street (#08 Amendment)(Power Plant)	Sample Date	05/09/2024
TRC Project #	474824	Sampling Technician	David Adams
Client	HRP 776 Summer Street PropCo LLC	Laboratory	TRC
Facility Name	Turbine Hall 3	Sample/Analysis Method	NIOSH 7400
Facility Location	776 Summer Street, Boston, Massachusetts	Sampling Type	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	North area at decon	07:18	10:36	198	8	8	8	1584	5.5	100	0.002	0.002	N/A
Area	004	Northwest area outside temporary poly wall	07:19	10:37	198	8	8	8	1584	3	100	0.002	<LOD	N/A
Area	005	Southwest area outside of temporary poly wall	07:20	10:38	198	8	8	8	1584	6	100	0.002	0.002	N/A
Area	006	South area at staircase	07:21	10:39	198	8	8	8	1584	4	100	0.002	<LOD	N/A
Area	007	North area at decon	10:36	13:45	189	8	8	8	1512	3.5	100	0.002	<LOD	N/A
Area	008	Northwest area outside temporary poly wall	10:37	13:46	189	8	8	8	1512	3.5	100	0.002	<LOD	N/A
Area	009	Southwest area outside of temporary poly wall	10:38	13:47	189	8	8	8	1512	5	100	0.002	0.002	N/A
Area	010	South area at staircase	10:39	13:48	189	8	8	8	1512	6.5	100	0.002	0.002	N/A

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	David Adams	Analysis Date	05/09/2024
Analyst Signature			


ASBESTOS AIR SAMPLE RESULTS

Project Name		776 Summer Street (#08 Amendment)(Power Plant)						Sample Date		05/10/2024					
TRC Project #		474824						Sampling Technician		David Adams					
Client		HRP 776 Summer Street PropCo LLC						Laboratory		TRC					
Facility Name		Turbine Hall 3						Sample/Analysis Method		NIOSH 7400					
Facility Location		776 Summer Street, Boston, Massachusetts						Sampling Type		PCM					
Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes	
Area	003	North area at decon	07:20	10:33	193	8	8	8	1544	7	100	0.002	0.002	N/A	
Area	004	Northwest area outside temporary poly wall	07:21	10:34	193	8	8	8	1544	4	100	0.002	<LOD	N/A	
Area	005	Southwest area outside of temporary poly wall	07:22	10:35	193	8	8	8	1544	3	100	0.002	<LOD	N/A	
Area	006	South area at staircase	07:23	10:36	193	8	8	8	1544	6.5	100	0.002	0.002	N/A	
Area	007	North area at decon	10:33	13:41	188	8	8	8	1504	4.5	100	0.002	<LOD	N/A	
Area	008	Northwest area outside temporary poly wall	10:34	13:42	188	8	8	8	1504	3	100	0.002	<LOD	N/A	
Area	009	Southwest area outside of temporary poly wall	10:35	13:43	188	8	8	8	1504	3	100	0.002	<LOD	N/A	
Area	010	South area at staircase	10:36	13:44	188	8	8	8	1504	4.5	100	0.002	<LOD	N/A	

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	David Adams	Analysis Date	05/10/2024
Analyst Signature			

ASBESTOS AIR SAMPLE RESULTS


Project Name	776 Summer Street (#08 Amendment)(Power Plant)	Sample Date	05/13/2024
TRC Project #	474824	Sampling Technician	David Adams
Client	HRP 776 Summer Street PropCo LLC	Laboratory	TRC
Facility Name	Turbine Hall 3	Sample/Analysis Method	NIOSH 7400
Facility Location	776 Summer Street, Boston, Massachusetts	Sampling Type	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	North area at decon	07:18	10:31	193	8	8	8	1544	5.5	100	0.002	0.002	N/A
Area	004	Northwest area outside temporary poly wall	07:19	10:32	193	8	8	8	1544	7	100	0.002	0.002	N/A
Area	005	Southwest area outside of temporary poly wall	07:20	10:33	193	8	8	8	1544	4.5	100	0.002	<LOD	N/A
Area	006	South area at staircase	07:21	10:34	193	8	8	8	1544	4	100	0.002	<LOD	N/A
Area	007	North area at decon	10:31	13:44	193	8	8	8	1544	4	100	0.002	<LOD	N/A
Area	008	Northwest area outside temporary poly wall	10:32	13:45	193	8	8	8	1544	3.5	100	0.002	<LOD	N/A
Area	009	Southwest area outside of temporary poly wall	10:33	13:46	193	8	8	8	1544	3.5	100	0.002	<LOD	N/A
Area	010	South area at staircase	10:34	13:47	193	8	8	8	1544	2.5	100	0.002	<LOD	N/A

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	David Adams	Analysis Date	05/13/2024
Analyst Signature			


ASBESTOS AIR SAMPLE RESULTS

Project Name		776 Summer Street (#08 Amendment)(Power Plant)						Sample Date		05/14/2024					
TRC Project #		474824						Sampling Technician		David Adams					
Client		HRP 776 Summer Street PropCo LLC						Laboratory		TRC					
Facility Name		Turbine Hall 3						Sample/Analysis Method		NIOSH 7400					
Facility Location		776 Summer Street, Boston, Massachusetts						Sampling Type		PCM					
Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes	
Area	003	North area at decon	07:22	10:37	195	8	8	8	1560	3	100	0.002	<LOD	N/A	
Area	004	Northwest area outside temporary poly wall	07:23	10:38	195	8	8	8	1560	4.5	100	0.002	<LOD	N/A	
Area	005	Southwest area outside of temporary poly wall	07:24	10:39	195	8	8	8	1560	5.5	100	0.002	0.002	N/A	
Area	006	South area at staircase	07:25	10:40	195	8	8	8	1560	3	100	0.002	<LOD	N/A	
Area	007	North area at decon	10:37	13:33	176	8	8	8	1408	4.5	100	0.002	0.002	N/A	
Area	008	Northwest area outside temporary poly wall	10:38	13:34	176	8	8	8	1408	4	100	0.002	<LOD	N/A	
Area	009	Southwest area outside of temporary poly wall	10:39	13:35	176	8	8	8	1408	4.5	100	0.002	0.002	N/A	
Area	010	South area at staircase	10:40	13:36	176	8	8	8	1408	3	100	0.002	<LOD	N/A	

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	p02	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	David Adams	Analysis Date	05/14/2024
Analyst Signature			

ASBESTOS AIR SAMPLE RESULTS


Project Name	776 Summer Street (Background Sampling)(Power Plant)	Sample Date	05/13/2024
TRC Project #	474824	Sampling Technician	David Adams
Client	HRP 776 Summer Street PropCo LLC	Laboratory	TRC
Facility Name	Building 4	Sample/Analysis Method	NIOSH 7400
Facility Location	776 Summer Street, Boston, Massachusetts	Sampling Type	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	Corner of East 1st Street and Summer Street	07:15	10:28	193	8	8	8	1544	4.5	100	0.002	<LOD	N/A
Background	004	East 1st Street at Dust monitor	07:24	10:37	193	8	8	8	1544	6.5	100	0.002	0.002	N/A
Background	005	Building 4 roof at Generator	07:32	10:44	192	8	8	8	1536	8	100	0.002	0.003	N/A
Background	006	Corner of East 1st Street and Summer Street	10:28	13:41	193	8	8	8	1544	6	100	0.002	0.002	N/A
Background	007	East 1st Street at Dust monitor	10:37	13:50	193	8	8	8	1544	5	100	0.002	0.002	N/A
Background	008	Building 4 roof at Generator	10:44	13:57	193	8	8	8	1544	5.5	100	0.002	0.002	N/A

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information


Analyst	David Adams	Analysis Date	05/13/2024
Analyst Signature			

ASBESTOS AIR SAMPLE RESULTS

Project Name	776 Summer Street (Background Sampling)(Power Plant)	Sample Date	05/14/2024
TRC Project #	474824	Sampling Technician	David Adams
Client	HRP 776 Summer Street PropCo LLC	Laboratory	TRC
Facility Name	Building 4	Sample/Analysis Method	NIOSH 7400
Facility Location	776 Summer Street, Boston, Massachusetts	Sampling Type	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	Corner of East 1st Street and Summer Street	07:19	10:34	195	8	8	8	1560	6.5	100	0.002	0.002	N/A
Background	004	East 1st Street at Dust monitor	07:28	10:43	195	8	8	8	1560	4	100	0.002	<LOD	N/A
Background	005	Corner of East 1st Street and Summer Street	10:34	13:29	175	8	8	8	1400	5.5	100	0.002	0.002	N/A
Background	006	East 1st Street at Dust monitor	10:43	13:39	176	8	8	8	1408	7	100	0.002	0.002	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	David Adams	Analysis Date	05/14/2024
Analyst Signature			

ASBESTOS AIR SAMPLE RESULTS

Project Name			776 Summer Street (Background Sampling)(Power Plant)					Sample Date			05/15/2024			
TRC Project #			474824					Sampling Technician			David Adams			
Client			HRP 776 Summer Street PropCo LLC					Laboratory			TRC			
Facility Name			Building 4					Sample/Analysis Method			NIOSH 7400			
Facility Location			776 Summer Street, Boston, Massachusetts					Sampling Type			PCM			
Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	Corner of East 1st Street and Summer Street	07:11	10:24	193	8	8	8	1544	7	100	0.002	0.002	N/A
Background	004	Northeast area of truckwash adjacent decon entrance	07:13	10:26	193	8	8	8	1544	6	100	0.002	0.002	N/A
Background	005	East 1st Street at Dust monitor	07:16	10:29	193	8	8	8	1544	3.5	100	0.002	<LOD	N/A
Background	006	Corner of East 1st Street and Summer Street	10:29	13:45	196	8	8	8	1568	6.5	100	0.002	0.002	N/A
Background	007	Northeast area of truckwash adjacent decon entrance	10:26	13:47	201	8	8	8	1608	5	100	0.002	0.002	N/A
Background	008	East 1st Street at Dust monitor	10:29	13:50	201	8	8	8	1608	3	100	0.002	<LOD	N/A

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	David Adams	Analysis Date	05/15/2024
Analyst Signature	DA AL		


ASBESTOS AIR SAMPLE RESULTS

Project Name		776 Summer Street (Background Sampling)(Power Plant)						Sample Date		05/16/2024					
TRC Project #		474824						Sampling Technician		David Adams					
Client		HRP 776 Summer Street PropCo LLC						Laboratory		TRC					
Facility Name		Building 4						Sample/Analysis Method		NIOSH 7400					
Facility Location		776 Summer Street, Boston, Massachusetts						Sampling Type		PCM					
Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes	
Background	003	Corner of East 1st Street and Summer Street	07:15	10:24	189	8	8	8	1512	1.5	100	0.002	<LOD	N/A	
Background	004	Northeast area of truckwash adjacent decon entrance	07:17	10:26	189	8	8	8	1512	0.5	100	0.002	<LOD	N/A	
Background	005	East 1st Street at Dust monitor	07:20	10:29	189	8	8	8	1512	0	100	0.002	<LOD	N/A	
Background	006	Corner of East 1st Street and Summer Street	10:24	13:36	192	8	8	8	1536	1	100	0.002	<LOD	N/A	
Background	007	Northeast area of truckwash adjacent decon entrance	10:26	13:38	192	8	8	8	1536	0.5	100	0.002	<LOD	N/A	
Background	008	East 1st Street at Dust monitor	10:29	13:41	192	8	8	8	1536	0.5	100	0.002	<LOD	N/A	

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	David Adams	Analysis Date	05/16/2024
Analyst Signature			


ASBESTOS AIR SAMPLE RESULTS

Project Name			776 Summer Street (Background Sampling)(Power Plant)					Sample Date			05/17/2024				
TRC Project #			474824					Sampling Technician			Jeremy Faulkner				
Client			HRP 776 Summer Street PropCo LLC					Laboratory			TRC				
Facility Name			Building 4					Sample/Analysis Method			NIOSH 7400				
Facility Location			776 Summer Street, Boston, Massachusetts					Sampling Type			PCM				
Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes	
Background	003	Corner of East 1st Street and Summer Street	08:15	11:01	166	8	8	8	1328	5	100	0.002	0.002	N/A	
Background	004	Northeast area of truckwash adjacent decon entrance	08:16	11:02	166	8	8	8	1328	4	100	0.002	<LOD	N/A	
Background	005	East 1st Street at Dust monitor	08:17	11:03	166	8	8	8	1328	6	100	0.002	0.002	N/A	
Background	006	Corner of East 1st Street and Summer Street	11:01	13:36	155	8	8	8	1240	3.5	100	0.002	<LOD	N/A	
Background	007	Northeast area of truckwash adjacent decon entrance	11:02	13:37	155	8	8	8	1240	2.5	100	0.002	<LOD	N/A	
Background	008	East 1st Street at Dust monitor	11:03	13:38	155	8	8	8	1240	5	100	0.002	0.002	N/A	

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	Jeremy Faulkner	Analysis Date	05/17/2024
Analyst Signature			

ASBESTOS AIR SAMPLE RESULTS


Project Name	776 Summer Street (1898 Lockers)(Power Plant)	Sample Date	05/20/2024
TRC Project #	474824	Sampling Technician	David Adams
Client	HRP 776 Summer Street PropCo LLC	Laboratory	TRC
Facility Name	Building 1A 1898 West	Sample/Analysis Method	NIOSH 7400
Facility Location	776 Summer Street, Boston, Massachusetts	Sampling Type	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	By north containment loadout and Hepa exhaust	07:42	11:08	206	8	8	8	1648	3	100	0.002	<LOD	N/A
Area	004	By north containment decon	07:43	11:12	209	8	8	8	1672	2.5	100	0.002	<LOD	N/A
Area	005	By center containment decon	07:44	11:13	209	8	8	8	1672	2	100	0.002	<LOD	N/A
Area	006	By south containment Hepa exhaust	07:45	11:14	209	8	8	8	1672	2.5	100	0.002	<LOD	N/A
Area	007	By north containment loadout and Hepa exhaust	11:11	13:53	162	8	8	8	1296	2.5	100	0.002	<LOD	N/A
Area	008	By north containment decon	11:12	13:54	162	8	8	8	1296	3	100	0.002	<LOD	N/A
Area	009	By center containment decon	11:13	13:55	162	8	8	8	1296	4	100	0.002	0.002	N/A
Area	010	By south containment Hepa exhaust	11:14	13:56	162	8	8	8	1296	2.5	100	0.002	<LOD	N/A

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information


Analyst	David Adams	Analysis Date	05/20/2024
Analyst Signature			

ASBESTOS AIR SAMPLE RESULTS

Project Name	776 Summer Street (1898 Lockers)(Power Plant)	Sample Date	05/21/2024
TRC Project #	474824	Sampling Technician	David Adams
Client	HRP 776 Summer Street PropCo LLC	Laboratory	TRC
Facility Name	Building 1A 1898 West	Sample/Analysis Method	NIOSH 7400
Facility Location	776 Summer Street, Boston, Massachusetts	Sampling Type	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Clearance	003	North containment inside center	08:00	09:42	102	12	12	12	1224	1.5	100	0.002	<LOD	N/A
Clearance	004	South containment inside center containment	08:02	09:44	102	12	12	12	1224	3	100	0.002	<LOD	N/A
Clearance	005	Mini containment inside adjacent Hepa unit	08:04	09:46	102	12	12	12	1224	1.5	100	0.002	<LOD	N/A
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	David Adams	Analysis Date	05/21/2024
Analyst Signature			

ASBESTOS AIR SAMPLE RESULTS


Project Name	776 Summer Street (#17 Amendment)(Power Plant)	Sample Date	05/20/2024
TRC Project #	474824	Sampling Technician	David Adams
Client	HRP 776 Summer Street PropCo LLC	Laboratory	TRC
Facility Name	Building 4 Footprint	Sample/Analysis Method	NIOSH 7400
Facility Location	776 Summer Street, Boston	Sampling Type	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	Northeast area of truckwash adjacent decon entrance	07:33	11:04	211	8	8	8	1688	3	100	0.002	<LOD	N/A
Area	004	Southeast area of truck wash	07:34	11:05	211	8	8	8	1688	5.5	100	0.002	0.002	N/A
Area	005	Southwest area of truck wash	07:35	11:06	211	8	8	8	1688	3.5	100	0.002	<LOD	N/A
Area	006	Northwest area of truck wash	07:36	11:07	211	8	8	8	1688	5	100	0.002	<LOD	N/A
Area	007	Northeast area of truckwash adjacent decon entrance	11:04	13:45	161	8	8	8	1288	4	100	0.002	0.002	N/A
Area	008	Southeast area of truck wash	11:05	13:46	161	8	8	8	1288	4.5	100	0.002	0.002	N/A
Area	009	Southeast area of truck wash	11:06	13:47	161	8	8	8	1288	3	100	0.002	<LOD	N/A
Area	010	Northwest area of truck wash	11:07	13:48	161	8	8	8	1288	5.5	100	0.002	0.002	N/A

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	David Adams	Analysis Date	05/20/2024
Analyst Signature			


ASBESTOS AIR SAMPLE RESULTS

Project Name		776 Summer Street (#17 Amendment)(Power Plant)						Sample Date		05/22/2024					
TRC Project #		474824						Sampling Technician		David Adams					
Client		HRP 776 Summer Street PropCo LLC						Laboratory		TRC					
Facility Name		Building 4 Footprint						Sample/Analysis Method		NIOSH 7400					
Facility Location		776 Summer Street, Boston						Sampling Type		PCM					
Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes	
Area	003	Northeast area of truckwash adjacent decon entrance	07:13	10:22	189	8	8	8	1512	3.5	100	0.002	<LOD	N/A	
Area	004	Southeast area of truck wash	07:14	10:23	189	8	8	8	1512	5	100	0.002	0.002	N/A	
Area	005	Southwest area of truck wash	07:15	10:24	189	8	8	8	1512	6.5	100	0.002	0.002	N/A	
Area	006	Northwest area of truck wash	07:16	10:25	189	8	8	8	1512	5	100	0.002	0.002	N/A	
Area	007	Northeast area of truckwash adjacent decon entrance	10:22	13:41	199	8	8	8	1592	6.5	100	0.002	0.002	N/A	
Area	008	Southeast area of truck wash	10:23	13:42	199	8	8	8	1592	5	100	0.002	0.002	N/A	
Area	009	Southwest area of truck wash	10:24	13:43	199	8	8	8	1592	4	100	0.002	<LOD	N/A	
Area	010	Northwest area of truck wash	10:25	13:44	199	8	8	8	1592	8.5	100	0.002	0.003	N/A	

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	David Adams	Analysis Date	05/22/2024
Analyst Signature			


ASBESTOS AIR SAMPLE RESULTS

Project Name		776 Summer Street (Background Sampling)(Power Plant)						Sample Date		05/20/2024					
TRC Project #		474824						Sampling Technician		David Adams					
Client		HRP 776 Summer Street PropCo LLC						Laboratory		TRC					
Facility Name		Building 4 Perimeter						Sample/Analysis Method		NIOSH 7400					
Facility Location		776 Summer Street, Boston, Massachusetts						Sampling Type		PCM					
Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes	
Background	003	Corner of East 1st Street and Summer Street	07:31	11:02	211	8	8	8	1688	6	100	0.002	0.002	N/A	
Background	004	Northwest area of truck wash	07:33	11:04	211	8	8	8	1688	3	100	0.002	<LOD	N/A	
Background	005	East 1st Street at Dust monitor	07:39	11:09	210	8	8	8	1680	3.5	100	0.002	<LOD	N/A	
Background	006	Corner of East 1st Street and Summer Street	11:02	13:43	161	8	8	8	1288	4.5	100	0.002	0.002	N/A	
Background	007	Northwest area of truck wash	11:04	13:45	161	8	8	8	1288	4	100	0.002	0.002	N/A	
Background	008	East 1st Street at Dust monitor	11:09	13:50	161	8	8	8	1288	5.5	100	0.002	0.002	N/A	

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	David Adams	Analysis Date	05/20/2024
Analyst Signature			

ASBESTOS AIR SAMPLE RESULTS


Project Name	776 Summer Street (Background Sampling)(Power Plant)	Sample Date	05/21/2024
TRC Project #	474824	Sampling Technician	David Adams
Client	HRP 776 Summer Street PropCo LLC	Laboratory	TRC
Facility Name	Building 4 Perimeter	Sample/Analysis Method	NIOSH 7400
Facility Location	776 Summer Street, Boston, Massachusetts	Sampling Type	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	Corner of East 1st Street and Summer Street	07:14	10:29	195	8	8	8	1560	4	100	0.002	<LOD	N/A
Background	004	Northeast area of truckwash adjacent decon entrance	07:17	10:31	194	8	8	8	1552	3	100	0.002	<LOD	N/A
Background	005	East 1st Street at Dust monitor	07:20	10:34	194	8	8	8	1552	5.5	100	0.002	0.002	N/A
Background	006	Corner of East 1st Street and Summer Street	10:29	13:43	194	8	8	8	1552	6.5	100	0.002	0.002	N/A
Background	007	Northeast area of truckwash adjacent decon entrance	10:31	13:48	197	8	8	8	1576	4.5	100	0.002	<LOD	N/A
Background	008	East 1st Street at Dust monitor	10:34	13:48	194	8	8	8	1552	3.5	100	0.002	<LOD	N/A

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	David Adams	Analysis Date	05/21/2024
Analyst Signature			


ASBESTOS AIR SAMPLE RESULTS

Project Name		776 Summer Street (Background Sampling)(Power Plant)						Sample Date		05/22/2024					
TRC Project #		474824						Sampling Technician		David Adams					
Client		HRP 776 Summer Street PropCo LLC						Laboratory		TRC					
Facility Name		Building 4 Perimeter						Sample/Analysis Method		NIOSH 7400					
Facility Location		776 Summer Street, Boston, Massachusetts						Sampling Type		PCM					
Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes	
Background	003	Corner of East 1st Street and Summer Street	07:11	10:20	189	8	8	8	1512	5.5	100	0.002	0.002	N/A	
Background	004	Northeast area of truckwash adjacent decon entrance	07:13	10:22	189	8	8	8	1512	3.5	100	0.002	<LOD	N/A	
Background	005	East 1st Street at Dust monitor	07:19	10:28	189	8	8	8	1512	6	100	0.002	0.002	N/A	
Background	006	Corner of East 1st Street and Summer Street	10:20	13:39	199	8	8	8	1592	4	100	0.002	<LOD	N/A	
Background	007	Northeast area of truckwash adjacent decon entrance	10:22	13:41	199	8	8	8	1592	6.5	100	0.002	0.002	N/A	
Background	008	East 1st Street at Dust monitor	10:28	13:47	199	8	8	8	1592	5.5	100	0.002	0.002	N/A	

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	David Adams	Analysis Date	05/22/2024
Analyst Signature			


ASBESTOS AIR SAMPLE RESULTS

Project Name			776 Summer Street (Background Sampling)(Power Plant)					Sample Date			05/23/2024			
TRC Project #			474824					Sampling Technician			David Adams			
Client			HRP 776 Summer Street PropCo LLC					Laboratory			TRC			
Facility Name			Building 4 Perimeter					Sample/Analysis Method			NIOSH 7400			
Facility Location			776 Summer Street, Boston, Massachusetts					Sampling Type			PCM			
Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	Corner of East 1st Street and Summer Street	07:22	10:25	183	8	8	8	1464	6	100	0.002	0.002	N/A
Background	004	Northwest area of truck wash	07:24	10:27	183	8	8	8	1464	5.5	100	0.002	0.002	N/A
Background	005	Northeast area of truckwash adjacent decon entrance	07:25	10:28	183	8	8	8	1464	3.5	100	0.002	<LOD	N/A
Background	006	East 1st Street at Dust monitor	07:28	10:34	186	8	8	8	1488	5	100	0.002	0.002	N/A
Background	007	Corner of East 1st Street and Summer Street	10:25	13:33	188	8	8	8	1504	3.5	100	0.002	<LOD	N/A
Background	008	Northwest area of truck wash	10:27	13:36	189	8	8	8	1512	4.5	100	0.002	<LOD	N/A
Background	009	Northeast area of truckwash adjacent decon entrance	10:28	13:37	189	8	8	8	1512	2.5	100	0.002	<LOD	N/A
Background	010	East 1st Street at Dust monitor	10:34	13:40	186	8	8	8	1488	3.5	100	0.002	<LOD	N/A

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	David Adams	Analysis Date	05/23/2024
Analyst Signature			


ASBESTOS AIR SAMPLE RESULTS

Project Name		776 Summer Street (Background Sampling)(Power Plant)						Sample Date		05/24/2024					
TRC Project #		474824						Sampling Technician		David Adams					
Client		HRP 776 Summer Street PropCo LLC						Laboratory		TRC					
Facility Name		Building 4 Perimeter						Sample/Analysis Method		NIOSH 7400					
Facility Location		776 Summer Street, Boston, Massachusetts						Sampling Type		PCM					
Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes	
Background	003	Corner of East 1st Street and Summer Street	07:19	10:15	176	8	8	8	1408	7.5	100	0.002	0.003	N/A	
Background	004	Northwest area of truck wash	07:21	10:17	176	8	8	8	1408	5.5	100	0.002	0.002	N/A	
Background	005	Northeast area of truckwash adjacent decon entrance	07:22	10:18	176	8	8	8	1408	4	100	0.002	<LOD	N/A	
Background	006	East 1st Street at Dust monitor	07:25	10:21	176	8	8	8	1408	7	100	0.002	0.002	N/A	
Background	007	Corner of East 1st Street and Summer Street	10:15	13:21	186	8	8	8	1488	6.5	100	0.002	0.002	N/A	
Background	008	Northwest area of truck wash	10:17	13:23	186	8	8	8	1488	6	100	0.002	0.002	N/A	
Background	009	Northeast area of truckwash adjacent decon entrance	10:18	13:24	186	8	8	8	1488	5	100	0.002	0.002	N/A	
Background	010	East 1st Street at Dust monitor	10:21	13:27	186	8	8	8	1488	5.5	100	0.002	0.002	N/A	

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	David Adams	Analysis Date	05/24/2024
Analyst Signature			

ASBESTOS AIR SAMPLE RESULTS


Project Name	776 Summer Street (Background Sampling)(Power Plant)	Sample Date	05/28/2024
TRC Project #	474824	Sampling Technician	David Adams
Client	HRP 776 Summer Street PropCo LLC	Laboratory	TRC
Facility Name	Building 4	Sample/Analysis Method	NIOSH 7400
Facility Location	776 Summer Street, Boston, Massachusetts	Sampling Type	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	Corner of East 1st Street and Summer Street	07:15	10:25	190	8	8	8	1520	5	100	0.002	0.002	N/A
Background	004	Northwest area of truck wash	07:17	10:27	190	8	8	8	1520	7	100	0.002	0.002	N/A
Background	005	Northeast area of truckwash adjacent decon entrance	07:18	10:28	190	8	8	8	1520	6	100	0.002	0.002	N/A
Background	006	East 1st Street at Dust monitor	07:21	10:31	190	8	8	8	1520	3	100	0.002	<LOD	N/A
Background	007	Corner of East 1st Street and Summer Street	10:25	13:40	195	8	8	8	1560	3.5	100	0.002	<LOD	N/A
Background	008	Northwest area of truck wash	10:27	13:42	195	8	8	8	1560	5.5	100	0.002	0.002	N/A
Background	009	Northeast area of truckwash adjacent decon entrance	10:28	13:43	195	8	8	8	1560	4	100	0.002	<LOD	N/A
Background	010	East 1st Street at Dust monitor	10:31	13:46	195	8	8	8	1560	6.5	100	0.002	0.002	N/A

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	David Adams	Analysis Date	05/28/2024
Analyst Signature			


ASBESTOS AIR SAMPLE RESULTS

Project Name			776 Summer Street (Background Sampling)(Power Plant)					Sample Date			05/29/2024			
TRC Project #			474824					Sampling Technician			David Adams			
Client			HRP 776 Summer Street PropCo LLC					Laboratory			TRC			
Facility Name			Building 4					Sample/Analysis Method			NIOSH 7400			
Facility Location			776 Summer Street, Boston, Massachusetts					Sampling Type			PCM			
Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	Corner of East 1st Street and Summer Street	07:26	10:14	168	8	8	8	1344	4.5	100	0.002	0.002	N/A
Background	004	Northwest area of truck wash	07:28	10:16	168	8	8	8	1344	3	100	0.002	<LOD	N/A
Background	005	Northeast area of truckwash adjacent decon entrance	07:29	10:17	168	8	8	8	1344	3.5	100	0.002	<LOD	N/A
Background	006	East 1st Street at Dust monitor	07:32	10:20	168	8	8	8	1344	5	100	0.002	0.002	N/A
Background	007	Corner of East 1st Street and Summer Street	10:14	13:45	211	8	8	8	1688	6	100	0.002	0.002	N/A
Background	008	Northwest area of truck wash	10:16	13:47	211	8	8	8	1688	4.5	100	0.002	<LOD	N/A
Background	009	Northeast area of truckwash adjacent decon entrance	10:17	13:48	211	8	8	8	1688	3	100	0.002	<LOD	N/A
Background	010	East 1st Street at Dust monitor	10:20	13:51	211	8	8	8	1688	6.5	100	0.002	0.002	N/A

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	David Adams	Analysis Date	05/29/2024
Analyst Signature			


ASBESTOS AIR SAMPLE RESULTS

Project Name		776 Summer Street (Background Sampling)(Power Plant)						Sample Date		05/30/2024				
TRC Project #		474824						Sampling Technician		David Adams				
Client		HRP 776 Summer Street PropCo LLC						Laboratory		TRC				
Facility Name		Building 4						Sample/Analysis Method		NIOSH 7400				
Facility Location		776 Summer Street, Boston, Massachusetts						Sampling Type		PCM				
Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Background	003	Corner of East 1st Street and Summer Street	07:21	10:20	179	8	8	8	1432	0	100	0.002	<LOD	N/A
Background	004	Northwest area of truck wash	07:23	10:22	179	8	8	8	1432	0	100	0.002	<LOD	N/A
Background	005	Northeast area of truckwash adjacent decon entrance	07:24	10:23	179	8	8	8	1432	0	100	0.002	<LOD	N/A
Background	006	East 1st Street at Dust monitor	07:27	10:26	179	8	8	8	1432	0.5	100	0.002	<LOD	N/A
Background	007	Corner of East 1st Street and Summer Street	10:20	13:37	197	8	8	8	1576	0.5	100	0.002	<LOD	N/A
Background	008	Northwest area of truck wash	10:22	13:39	197	8	8	8	1576	1	100	0.002	<LOD	N/A
Background	009	Northeast area of truckwash adjacent decon entrance	10:23	13:40	197	8	8	8	1576	0	100	0.002	<LOD	N/A
Background	010	East 1st Street at Dust monitor	10:26	13:43	197	8	8	8	1576	0.5	100	0.002	<LOD	N/A

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	David Adams	Analysis Date	05/30/2024
Analyst Signature			


ASBESTOS AIR SAMPLE RESULTS

Project Name		776 Summer Street (Background Sampling)(Power Plant)						Sample Date		05/31/2024					
TRC Project #		474824						Sampling Technician		David Adams					
Client		HRP 776 Summer Street PropCo LLC						Laboratory		TRC					
Facility Name		Building 4						Sample/Analysis Method		NIOSH 7400					
Facility Location		776 Summer Street, Boston, Massachusetts						Sampling Type		PCM					
Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes	
Background	003	Corner of East 1st Street and Summer Street	07:27	10:15	168	8	8	8	1344	4.5	100	0.002	0.002	N/A	
Background	004	21 - Southeast area of truck wash	07:30	10:18	168	8	8	8	1344	7.5	100	0.002	0.003	N/A	
Background	005	East 1st Street at Dust monitor	07:35	10:23	168	8	8	8	1344	3	100	0.002	<LOD	N/A	
Background	006	Corner of East 1st Street and Summer Street	10:15	13:22	187	8	8	8	1496	3	100	0.002	<LOD	N/A	
Background	007	21 - Southeast area of truck wash	10:18	13:25	187	8	8	8	1496	4	100	0.002	<LOD	N/A	
Background	008	East 1st Street at Dust monitor	10:23	13:30	187	8	8	8	1496	3.5	100	0.002	<LOD	N/A	

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	David Adams	Analysis Date	05/31/2024
Analyst Signature			

ASBESTOS AIR SAMPLE RESULTS

Project Name	776 Summer Street (#21 Amendment)(Power Plant)	Sample Date	05/31/2024
TRC Project #	474824	Sampling Technician	David Adams
Client	HRP 776 Summer Street PropCo LLC	Laboratory	TRC
Facility Name	Building 4	Sample/Analysis Method	NIOSH 7400
Facility Location	776 Summer Street, Boston, Massachusetts	Sampling Type	PCM

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Area	003	21 - Southeast area of truck wash	07:29	10:17	168	8	8	8	1344	6.5	100	0.002	0.002	N/A
Area	004	21 - Southeast area of truck wash	07:30	10:18	168	8	8	8	1344	7.5	100	0.002	0.003	N/A
Area	005	21 - Northeast area of truck wash	07:31	10:19	168	8	8	8	1344	4.5	100	0.002	0.002	N/A
Area	006	21 - Northeast area of containment at Turbine hall 3	07:32	10:20	168	8	8	8	1344	4	100	0.002	<LOD	N/A
Area	007	21 - Southwest area of containment at the corner of building 4 and Turbine Hall 3	10:17	13:24	187	8	8	8	1496	3.5	100	0.002	<LOD	N/A
Area	008	21 - Southeast area of truck wash	10:18	13:25	187	8	8	8	1496	3	100	0.002	<LOD	N/A
Area	009	21 - Northeast area of truck wash	10:19	13:26	187	8	8	8	1496	5	100	0.002	0.002	N/A
Area	010	21 - Northeast area of containment at Turbine hall 3	10:20	13:27	187	8	8	8	1496	3.5	100	0.002	<LOD	N/A

ASBESTOS AIR SAMPLE RESULTS

Sample Type	Sample #	Sample Location	Time On	Time Off	Total Time	Pre (L/m)	Post (L/m)	Avg (L/m)	Total Volume (L)	Total Fibers	Total Fields	LOD (f/cc)	Results (f/cc)	Notes
Field Blank	001	Field Blank 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A
Field Blank	002	Field Blank 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	100	N/A	N/A	N/A

Analysis Information

Analyst	David Adams	Analysis Date	05/31/2024
Analyst Signature	